SW990201





movements train the child's spatial awareness

and sense of balance. Well-trained senses of

balance and space help children navigate the

benefits to the ride. Children learn cooperation


world securely and adds to their self-

confidence. Swinging together on the Duo

Swing Seat adds tons of social emotional

and turn taking when swinging together.

in movement. These are great skills in play as well as in making friends.











There is nothing as fun as swinging. The Duo Swing Seat adds to the joy by making it possible to swing at eye level with your best friend. The sturdy handholds of the Duo Swing Seat add the possibility of vigorous swinging movements. At the same time, they add to the feeling of security. Swinging on the Duo Swing seat is more than mere fun: the swinging

Furthermore, they need to adjust their rhythm

SW990201











Grip bars

Physical: height and diameter to support grips of sizes from toddler to grandparent. Social-Emotional: feeling of security when being able to hold onto properly proportioned grip.









Physical: balance and spatial awareness are stimulated by swinging. These are necessary skills in judging distances. When swinging vigorously, the arm and core muscles are trained. Social-Emotional: the cooperation in movement of swinging together trains teamwork understanding and empathy. Cognitive: cause and effect understanding, managing rhythm and thinking skills for younger children.

SW990201



7'9"

287ft²

0yd³ 0yd³

0'0"

41lbs

0.3 hours



KOMPAN heavy duty designed swing hangers of stainless steel with anti-twist function. The hangers are attached to the cross beam on a welded bracket with two bolts, The bearings are embedded with silicone lubricant and needs no further lubrication.



The Duo Swing seat is fitted with 6mm stainless steel chains.



The frame is powder coated inside & outside hot-dip galvanized steel.

Warranty Information

Chains 10 Years
Galvanized/painted 10 Years
metal

Movable parts 2 Years
Spare Parts Availability 10 Years
Swing seat 10 Years

Item no. SW990201-00

Installation Information

Max. fall height

Safety surfacing area

Total installation time

Footing depth (standard)

Excavation volume

Concrete volume

Shipment weight

Anchoring options



The Duo swing seat can be installed in Kompan A-Frame, Robinia Frame and Portal swing systems for the 8 ft and 9.8 ft heights. The swing seat is not applicable for the 6.5 ft.



All soft seat materials are UV and ozone protected to the maximum within the frames of the strongest environmental demands.



The baby seat is made of black TPV (Santoprene) and the design has large leg holes for easy placement of baby/toddler.

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	0	0
Required	0	0	0

ASTM F1487 compliant

Sustainability Data

SW990201





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
SW990201-00	49.69	3.31	37.05

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000




SW990201




* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



SW990201 *7' 9"/235cm **8' 2"/250cm ***215ft² / 20m²



SW990201

Click to see TOP VIEW

Click to see SIDE VIEW