NRO602





Item no. NRO602-1001

### **General Product Information**

Dimensions LxWxH 5'7"x1'6"x2'7"

Age group 2 - 5

Play capacity (users) 3

Color options









The Robinia Percussion Music Panel is a play invitation for children: the variation in drumming sounds and the tonal response to movements attract children again and again. The drums can be played alone or together. There is room for many users around the differently textured and sounding drums. This encourages social interaction and co-creation when drumming

rhythms and singing along. It also stimulates cognition and creativity as children create rules and rhythms together or individually. The percussion drum additionally has different sounding divisions. For older children and adults this creates variations in tonality and sound patterns. Drumming and creating rhythms on the drums stimulate the child's

ability to understand cause and effect and leave a mark on the play, both important for cognitive as well as creative skills.



NRO602











### Percussion

Social-Emotional: cooperative play and cocreation when playing from both sides. Cognitive: understanding cause and effect when figuring out different sounding areas of surface, and practicing rhythm that is essential for pre-reading skills. Creative: creating, combining and leaving a mark of different sounds.







### Two sides

Social-Emotional: invites cooperation and communication. The low height and the transparency of the panel makes interaction possible between the two sides.









Social-Emotional: cooperation and cocreation, parallel and group play. Cognitive: cause and effect understanding when creating sounds, supporting a sense of rhythm that is essential for pre-reading skills. Creative: creating and leaving a mark with sound.

NRO602



Lifetime



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



The paint used for colored components is water based environmental friendly with excellent UV resistance. The paint is in compliance with EN 71 Part 3.



Play activities in very strong materials: HDPEplate with HDPE-clock and hands in conveyer belt rubber, bell in pressed aluminium. Mirror in plexi-glass with a high impact resistant.


	Item no. NRO602-1001						
Installation Information							
	Max. fall height		0'0"				
	Safety surfacing area		Oft²				
	Total installation time		3.7				
	Excavation volume	0.3	33yd³				
	Concrete volume	0yd³					
	Footing depth (standard)		3'3"				
	Shipment weight	240lbs					
	Anchoring options	In-ground	~				
		Surface	~				
Warranty Information							
	Robinia Wood	10 `	Years				
	Spare Parts Availability	10 Years					
	Stainless steel components	Lifetime					



All rubber activities/components are made of conveyer belt rubber that makes it extremely weather resistant and long lasting.



The percussion panel consist of 2 Conga Drums with PP tubes and top in colored ABS. Babel drum in stainless steel 316L.



The Xylofon music panel consist of HDPE - material in 19mm EcoCore™. EcoCore™ is a highly durable, ecofriendly material. The pipes are made of die-cast aluminium specifically alloyed for outdoor environments.

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	1	1
Required	0	1	1

ASTM F1487 compliant

Stainless steel

components

# **Sustainability Data**

NRO602





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



## Verification of CO<sub>2</sub> calculation of: Nature play



Data version no. 2023-10-05

The  $\mathrm{CO}_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  $CO_2$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO602-1001	31.32	0.34	2.61


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))






\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



NRO602
\*\* 2'-7" / 78cm



Click to see TOP VIEW

Click to see SIDE VIEW