

PCX0002









The HOLLAND Play Tunnel with Hammock and Desk is a nice ground level activity with great play value. It stimulates children's physical, social-emotional and cognitive development. The play tunnel is a fine place to stimulate cross-body coordination when crawling through. Cross-body coordination supports both sides of the brain, important for children's

reading and writing skills. The tunnel also provides room for more children to have a sheltered meeting spot stimulating social skills. The hammock offers the opportunity for rocking gently, seated or lying. It is a perfect and easily accessed spot for a moment of relaxation. Even though dimensioned for one user, children often find ways to use it together,

stimulating social-emotional development. The desk supports imaginative play, allowing children to play for hours.



PCX0002










Tunnel

Physical: the children crawl through the tunnel, developing motor skills such as crossbody coordination and proprioception. Social-Emotional: turn-taking when passing each other.







Desk with bowl and sieve Social-Emotional: children can gather and store materials, cooperate and take a break together. Creative: sand can be shifted through the sieve, for understanding of cause and effect and object permanence.




Physical: coordination and sense of balance when swaying. Social-Emotional: meeting, pushing friends gently back and forth, turntaking. Cognitive: for toddlers cause and effect understanding.

PCX0002






All steel components are made of high quality materials. The posts have an alloy with improved tensile and yield strength according to the NYCP material specification. The painted aluminum post caps are riveted to the top of the post.



All panels and one-piece welded steel grids are made of low carbon steel and corrosion treated by hot dip galvanization or metallization with a minimum thickness according to NYCP material specification.



The product is designed in three different standard color combinations: Red and light blue, Light blue and lime green, Green and lime green. The layouts of the play structures can be customized through the KOMPAN Variant Team.

	Item no. PCX000200-0602						
Installation Information							
	Max. fall height		64 c	m			
	Safety surfacing area	2	29.2 n	n²			
	Total installation time		7.	.6			
	Excavation volume	C).13 n	n³			
	Concrete volume	C).06 n	n³			
	Footing depth (standard)		60 c	m			
	Shipment weight		293 k	ίg			
	Anchoring options	In-ground		•			

Warranty Information					
EcoCore HDPE	Lifetime				
HDG post	Lifetime				
HPL decks	15 years				
Ropes & nets	10 years				
Spare parts guaranteed	10 years				

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	3	3
Required	0	3	3

CSA Z614 compliant

Sustainability Data

PCX0002





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
PCX000200-0602	769.60	3.52	48.70

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Play systems



Data version no. 2023-10-05

The $\mathrm{CO_2}$ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000









* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see SIDE VIEW