## Talk & Tumble with Tunnel

PCM000521



Item no. PCM000521-0601				
General Product Information				
Dimensions LxWxH	11'2"x7'8"x3'6"			
Age group	6m - 4			
Play capacity (users)	13			
Color options	••			





Wow! The Talk & Tumble with Tunnel immediately attracts young children. The variety of play activities will ensure long and eventful playtimes again and again. The scale is perfectly suited to early years children. The many climb or crawl through play experiences stimulate important motor skills such as crosscoordination. They support peek-a-boo and hiding games. These train an understanding that objects and people do not cease to exist just because you can't see them and that they will re-appear. With sand scoops, the bench with its apple tree offers nice points for social play and rest. The flower panel table and play spheres invite interaction from both sides. The spheres can be run from both sides of the panel. This stimulates taking turns skills and encourages social play.



## Talk & Tumble with Tunnel

PCM000521





### Sand scoops

Physical: hand eye coordination and pushpull movements. Social-Emotional: invites cooperation with two sides and provides for parallel play. Cognitive: logical thinking: cause and effect understanding when running scoops in grooves or shifting materials from scoop to scoop. Creative: shifting scoops, creating new scoop positions.





#### Tunnel

Physical: the children crawl through the tunnel, developing motor skills such as crossbody coordination and proprioception. Social-Emotional: turn-taking when passing each other.



#### Keyhole flap

**Social-Emotional:** can be played from both sides, encouraging cooperation. **Cognitive:** tactile variation helps children to understand the characteristics of different materials and their uses. cause and effect understanding when bending rubber flaps.



#### Binoculars

**Cognitive:** the binoculars set a tangible theme and so spur dramatic play. Dramatic play is great for developing language and communication skills. **Creative:** the binoculars can be turned in all directions. Looking through them gives a new perspective on the world.



#### Desk

**Social-Emotional:** fine meeting place and a space creator. Sharing and cooperation from both sides create a social scenario that supports communication and cooperation.



#### Megaphone

**Social-Emotional:** inspires communication and turn-taking skills. **Cognitive:** distortion of sound evokes curiosity and stimulates an understanding of cause and effect.



#### Door opening Physical: encourages running or crawling through, stimulating cross coordination and spatial awareness.

# Talk & Tumble with Tunnel


PCM000521



Panels of 19mm EcoCore<sup>™</sup>. EcoCore<sup>™</sup> is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled material.



Main posts with hot-dip galvanized steel footing are available in different materials: Pressure impregnated pinewood posts. Pre-galvanized inside and outside with powder-coated top finish steel posts. Lead-free aluminum with color anodized top finish. Greenline TexMade posts of 100% post-consumer recycled PE and textile waste.



Play activities like the Megaphone are made of injection molded high quality nylon (PA6). PA6 has good wearing and impact strength and is UV stabilized.

Item no. PCM000521-0601						
Installation Information						
Max. fall height		0'4"				
Safety surfacing area		353ft²				
Total installation time	8.5	hours				
Excavation volume	(	).2yd³				
Concrete volume		0yd³				
Footing depth (standard)		2'0"				
Shipment weight	3	99lbs				
Anchoring options	In-ground 🗸					
	Surface	~				
Warranty Information						
EcoCore HDPE	Lif	etime				
Post	10	Years				
Spare Parts Availability	bare Parts Availability 10 Years					



The Climbing tunnel is made of low-density PE with 33% post-consumer materials. PE has excellent impact strength and is usable within a large temperature span.

Key flap membrane consist of friction-proof rubberized material of conveyor belt quality with excellent UV resistance. Embedded is a fourlayered armoring made of woven polyester. The armoring and the two surface layers result in a total thickness of 9 mm. KOMPAN GreenLine versions are designed with the most environmentally friendly materials with the lowest possible CO2e emission factor such as EcoCoreTM panels of 100% post-consumer recycled ocean waste.

Elevated activities <b>0</b>	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	6	4
Required	equired 0	6	4

ASTM ASTM F1487 F2373 compliant compliant



## **Sustainability Data**

PCM000521



Cradle to Gate A1-A3		Total CO <sub>2</sub> emission	CO₂e/kg	Recycled materials
		kg CO₂e	kg CO₂e/kg	%
	PCM000521-0650	295.93	1.67	69.06
	PCM000521-0601	333.79	2.08	61.23


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO<sub>2</sub> calculation of: Themed play systems



#### Data version no. 2023-10-05

The  $CO_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

maiz

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.


Publication date: 30. October 2023



Data is subject to change without prior notice.





PCM000521





\* Max fall height | \*\* Total height





Click to see SIDE VIEW

Click to see TOP VIEW