


# Tower with Spider Net

NRO2006



Item no. NRO2006-1021	
General Product Information	
Dimensions LxWxH	15'5"x22'6"x14'5"
Age group	5 - 12
Play capacity (users)	14
Color options	



The Double Tower with Spider Net is a fantastic and versatile play piece that children will want to try again and again. The spider net has partly inclined horizontal rungs, which adds challenge to the climb. It is a fine meeting point, inviting children to cooperate and take turns, stimulating their social-emotional development. Climbing trains cross-

coordination, which supports cross-modal perception, necessary for reading. The tower is a great destination for all, taking children via accessible stairs to the options of a slide or a rotating movement down on the Curly Climber. The Curly Climber stimulates proprioception and sense of space and balance. There is also a sense of wonder that stimulates thinking

skills when children consider why they are rotating. On ground level a somersault bar provides horizontal rotation, training a child's sense of space.

# Tower with Spider Net

NRO2006



## Slide

**Physical:** sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. **Social-Emotional:** empathy stimulated by turn-taking.



## Vertical spider net

**Physical:** cross coordination is supported when creeping and crawling through, over and across the net. This also supports the cooperation of left and right sides of the brain, important for other skills like reading. The core, arm and leg muscles are strengthened. **Social-Emotional:** taking a break together in the net and waiting for others to cross supports social abilities such as cooperation and communication.



## Somersault bar

**Physical:** develop balance and core when hanging from knees. Arm, leg and core muscles are developed when climbing up, somersaulting around. Balance and spatial awareness are strengthened. **Social-Emotional:** meeting, socializing and turn-taking when climbing up and down via bar.



## Accessible stairway

**Physical:** climbing the accessible stairway is for all and supports cross coordination as well as arm and leg muscles. For young children, walking stairs and alternating feet is developed. **Social-Emotional:** room for active breaks and adult helpers. An inclusive space.



## Curly climber

**Physical:** coordination and proprioception are supported when placing arms and legs correctly for going down. Sense of balance when rotating. Arm muscles for holding tight. **Social-Emotional:** empathy stimulated by turn-taking. **Cognitive:** logical thinking when placing arms and legs right for rotating downward.

# Tower with Spider Net

NRO2006



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



The paint used for coloured components is water based environmentally friendly with excellent UV resistance. The paint is in compliance with EN 71 Part 3.



The stainless-steel slides with one-piece slide bed are made of high-quality stainless-steel AISI 304.



Ropes are made of UV-stabilized PES rope strands with inner steel cable reinforcement. The polyester wrapping is inductively melted onto each strand to ensure excellent wear and tear resistance.



The hardware is made of stainless steel or galvanized steel to ensure durable connections with a high corrosion resistance.



The Robinia products are designed with a KOMPAN color concept with a number of different standard colors. The wood can also be supplied as untreated or with brown painted with a pigment that maintains the wood color.

Item no. NRO2006-1021

### Installation Information

Max. fall height	7'3"
Safety surfacing area	622ft <sup>2</sup>
Total installation time	31.2
Excavation volume	2.38yd <sup>3</sup>
Concrete volume	0.39yd <sup>3</sup>
Footing depth (standard)	3'3"
Shipment weight	3198lbs
Anchoring options	In-ground ✓

### Warranty Information

Robinia Wood	10 Years
Ropes & nets	10 Years
Spare Parts Availability	10 Years
Stainless steel components	Lifetime
Stainless steel components	Lifetime

Elevated activities 3	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	3	1	1
Required	2	1	1

**ASTM  
F1487**  
compliant

# Sustainability Data

NRO2006



Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO <sub>2</sub> e/kg	Recycled materials
	kg CO <sub>2</sub> e	kg CO <sub>2</sub> e/kg	%
<b>NRO2006-1021</b>	674.30	0.54	7.03

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Kompan A/S**  
 C.F. Tietgens Boulevard 32C  
 DK-5220 Odense SØ  
 Denmark



## Verification of CO<sub>2</sub> calculation of: Nature play



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 30. October 2023 | Valid until: 30. October 2025**

**Verified by:**

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

**Publication date: 30. October 2023**

**By Bureau Veritas HSE**  
 www.bureauveritas.dk  
 +45 7731 1000




# Tower with Spider Net


NRO2006

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



[Click to see TOP VIEW](#)



[Click to see SIDE VIEW](#)