PCM153





Item no. PCM153-0901

General Product Information

Dimensions LxWxH 229x263x206 cm
Age group 1+
Play capacity (users) 3
Colour options



The 3-seater Carousel adds spinning to swinging, making for a thrilling swing experience that attracts children repeatedly. The soft rubber seats invite both lyings, seated, and standing positions. This allows for beginners as well as elevated level players. Apart from being irresistibly fun, the spinning and swinging movements train the sense of

balance and space. These are crucial motor skills, important for all other physical skills, and eventually concentration skills for learning. To toddlers, swinging trains their sense of space as well as their focal awareness. The seated position in swinging trains the core muscles. When children jump off it builds their bone density. Socially, the three similar seats

encourage parallel play for toddlers, and cooperation for preschoolers, both important social skills.





PCM153





O Physical: the rotation develops the sense of balance and space, children use their muscle strength and strengthen their cardio. Social-Emotional: listening and negotiating how slow or fast to go, children develop empathy and cooperation skills.






**Triple seating Social-Emotional:** stimulates parallel play and cooperation, important for social skills.



Low, rubber swing seat
Physical: support for pushing with feet,
developing leg muscles and sense of balance,
coordination, as well as spatial awareness.
Social-Emotional: self-confidence is fostered
from being able to do it yourself. Cognitive:
understanding of 'cause and effect'.

PCM153





The carousel has different anchoring options for both surface and in-ground installation. All footings are hot-dip galvanised inside and outside, ensuring longevity for the product.



The seat hangers are made of high-quality UVstabilised nylon (PA6) housing with integrated lifetime sealed ball bearings. The chains are fixed by a stainless steel hook with theft-proof snake-eye bolt in a turnable anti-twist housing.




Center post is hot-dip galvanised in dimension Ø159 x 4 mm. Horizontal beams are hot-dip galvanised and powder coated in dimension of Ø76.1 x 3.6 mm.



Installation Information Max. fall height 150 cm Safety surfacing area 78.9 m<sup>2</sup> Total installation time 3.8 Excavation volume 0.50 m<sup>3</sup> Concrete volume 0.29 m<sup>3</sup> Footing depth (standard) 100 cm Shipment weight 227 kg Anchoring options In-ground Surface **Warranty Information** Chains 10 years Galvanised Steel Lifetime Spare Parts Guarantee 10 years Swing Hangers 5 years Swing Seat 10 years

Item no. PCM153-0901



Chains are stainless steel and meet the requirements in ISO1434 -ISO1435 and DIN766.



The baby/toddler seat and suspension hinges are made of soft rubber (TPV). Polypropylene (PP) inside the baby basket provides low friction leg openings for easy access (toddler in/out).



The belt seat is made of PUR. All components retain their properties in the temperature range of -30°C to 60°C. and materials are durable without the use of heavy metal stabilities.



# **Sustainability Data**

PCM153





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



#### Verification of CO<sub>2</sub> calculation of: Freestanding play equipment



Data version no. 2023-10-05

The  $\mathrm{CO}_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  $CO_2$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023







Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
PCM153-0901	429.30	3.23	44.18


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))






\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height





Click to see TOP VIEW

PCM153 \*150cm \*\*206cm \*\*\*78.9m²

Click to see SIDE VIEW