

# The Wizard's Double Tower Fortress


NRO2005



Item no. NRO2005-1021

## General Product Information

Dimensions LxWxH	767x800x505 cm
Age group	6+
Play capacity (users)	18
Color options	  



The Wizard's Double Tower Fortress has lots of balance, climb and glide variations, children will want to try it out again and again. When climbing, children will train their cross-coordination, this stimulates the cross-modal perception which is important for the ability to read. The Vertical climbing wall and the climbing decks is a fun meandering climbing

challenge that trains proprioception: the awareness of where the body parts are in space and how much force and distance it takes to move securely. The bridge trains sense of balance, the fundamental motor skill that makes children confident when moving and is important for the ability to sit still and concentrate. The biggest hits are probably the

slide or the wild banister bars. Both thrilling in each their way, and enough of a destination to make children loop up and down repeatedly, training cardio.

# The Wizard's Double Tower Fortress

NRO2005



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



The paint used for coloured components is water based environmentally friendly with excellent UV resistance. The paint is in compliance with EN 71 Part 3.



The stainless-steel slides with one-piece slide bed are made of high-quality stainless-steel AISI 304.



Ropes of UV-stabilized PES rope strands with inner steel cable reinforcement. The polyester yarn is made from +95% post-consumer materials and is inductively melted onto each strand.



The hardware is made of stainless steel or galvanised steel to ensure durable connections with a high corrosion resistance.



The Robinia products are designed with a KOMPAN colour concept with a number of different standard colours. The wood can also be supplied as untreated or with brown painted with a pigment that maintains the wood colour.

Item no. NRO2005-1021

## Installation Information

Max. fall height	298 cm
Safety surfacing area	64.0 m <sup>2</sup>
Total installation time	34.6
Excavation volume	1.90 m <sup>3</sup>
Concrete volume	0.32 m <sup>3</sup>
Footing depth (standard)	100 cm
Shipment weight	1,965 kg
Anchoring options	In-ground ✓

## Warranty Information

Robinia wood	15 years
Ropes & nets	10 years
Spare parts guaranteed	10 years
Stainless steel components	Lifetime
Stainless steel components	Lifetime



# Sustainability Data

NRO2005



Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO <sub>2</sub> e/kg	Recycled materials
	kg CO <sub>2</sub> e	kg CO <sub>2</sub> e/kg	%
NRO2005-1021	765.00	0.42	5.34

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Kompan A/S**  
C.F. Tietgens Boulevard 32C  
DK-5220 Odense SØ  
Denmark



## Verification of CO<sub>2</sub> calculation of: Nature play



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 30. October 2023 | Valid until: 30. October 2025**  
**Verified by:**

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

**Publication date: 30. October 2023**



**By Bureau Veritas HSE**  
www.bureauveritas.dk  
+45 7731 1000



NRO2005

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)