The Intrepid

PCM113421





Item no. PCM113421-0901


General Product Information

Dimensions LxWxH 1481x905x662 cm

Age group 4+

Play capacity (users) 64

Color options





Blimey! The Intrepid awakes the play pirate in any child that beholds it. The vast variety of activities offers fun play for everyone, again and again. Under deck a number of play stations attract children for socializing. Behind the keel two hammocks and a bow window offer social play. The swaying movements of the hammock additionally train children's sense

of balance. The deck can be boarded in various, playful ways: rope ladders and an accessible stairway both takes the child to a wealth of egresses: thrilling slides and fireman's poles to humour milder as well as wilder pirates. Both egresses train children's sense of balance and space, important for navigating the world securely. The many

lookout points and tactile details ensure hours of play for younger children and older, for pirates as well as their prey.



The Intrepid

PCM113421






Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



Main posts with hot dip galvanised steel footing are available in different materials: Pressure impregnated pine wood posts. Pre-galvanised inside and outside with powder coated top finish steel posts. Lead free aluminium with colour anodised top finish.



All decks are supported by unique designed low-carbon aluminum profiles with multiple attachment options. The grey colored molded decks are made of 75% post-consumer waste PP material with a non-skid pattern and texture surface.



Max. fall height 268 cm Safety surfacing area 123.2 m² Total installation time 97.7 Excavation volume 2.49 m³ Concrete volume 0.68 m³ Footing depth (standard) 90 cm Shipment weight 4,281 kg Anchoring options In-ground

Surface •



The slides can be chosen in different materials and colours: Straight or curved moulded PE slides in yellow or grey colour. Full stainless steel in on-piece design for more vandalism proof solutions.



Nets and ropes are made of UV-stabilised PA with inner steel cable reinforcement. The rope is induction treated in order to create a strong connection between steel and rope which leads to good wear resistance.



KOMPAN Play Systems can be customised to match individual demands. Visit the products at www.KOMPAN.com for options with the digital KOMPAN Solution Planner. Multiple options for panels, decks, posts, slides and other play activities ensure durable solutions in any outdoor environment.



Sustainability Data

PCM113421





| Cradle to Gate A1-A3 | Total CO₂ emission | CO₂e/kg | Recycled materials |
|----------------------|-----------------------|------------|--------------------|
| | kg CO₂e | kg CO₂e/kg | % |
| PCM113421-0901 | 7,635.10 | 2.44 | 63.00 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Play systems



Data version no. 2023-10-05

The $\mathrm{CO_2}$ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

made

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000



The Intrepid

PCM113421



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height

