


Wobble Bridge

NRO810

Item no. NRO810-1001

General Product Information

Dimensions LxWxH	380x125x140 cm
Age group	6+
Play capacity (users)	3
Colour options	 



The Wobble Bridge is a hugely popular addition to the playground. It is both a challenge and fun to navigate across, training balance, strength and coordination at the same time. The horizontal logs are responsive to every movement, and social skills are also developed, as children can feel the movements of all the others on the bridge at the same time.

The bridge is made of durable Robinia timber, which provides an organic structure that can either blend into or stand out from your surrounds. Children can touch and feel the timber while playing, observing how nature inspiration interacts with the built environment.

Wobble Bridge


NRO810



Wobble bridge

Physical: passing the swaying bridge steps develops the sense of balance, which is fundamental in navigating the world securely.

Social-Emotional: passing others on the way supports consideration and turn-taking skills.



Wobble Bridge

NRO810



All organic Robinia products by KOMPAN are made of Robinia wood which is sourced from sustainable plantation farms. On request it can be supplied as FSC® Certified (FSC® C004450).



Chains are made of high-quality stainless steel to ensure the durability of the product.



The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.

Item no. NRO810-1001

Installation Information

Max. fall height	42 cm
Safety surfacing area	27.0 m ²
Total installation time	6.6
Excavation volume	0.28 m ³
Concrete volume	0.04 m ³
Footing depth (standard)	100 cm
Shipment weight	386 kg
Anchoring options	In-ground ✓ Surface ✓


Warranty Information

Robinia Wood	15 years
Spare Parts Guarantee	10 years
Stainless Steel Components	Lifetime
Stainless Steel Components	Lifetime



Sustainability Data

NRO810



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
NRO810-1001	86.59	0.31	2.85

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000




Wobble Bridge


NRO810

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



NRO810
*42cm
**140cm
***27m²



NRO810

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)