## **Oasis Sand Boat with Sail**

NRO529



Item no. NRO529-1021				
General Product Information				
Dimensions LxWxH	6'11"x15'2"x11'6"			
Age group	2 - 5			
Play capacity (users)	10			
Color options				



The Oasis sand boat with sail is a role play invitation like few others. The ship theme encourage hours of play, uniting children around a hugely play starting theme: sailing off into unknown land. The seat in the rear add to socializing. The binocular add to the tactile, turnable elements of the boat. Apart from offering tactile stimulation, it evoke the sense of wonder. It spark imagination and dramatic play. Dramatic play and role play function as children's way of playing through experiences they don't fully understand or that fascinate them. When doing so, they train their communication and language skills. Communication and turn-taking skills are also trained. These help children avoid physical conflict. Eventually it will stimulate the ability to form friendships.





NRO529



Theme Cognitive: suggests a theme and supports dramatic play, which stimulates language and communication skills.





#### Bench Social-Emotional: the bench is big enough for two and makes a nice meeting point. Sitting closely together with friends is good for children's social skills and well-being.

KOM

Let's play



#### Binoculars

**Cognitive:** the binoculars set a tangible theme and so spur dramatic play. Dramatic play is great for developing language and communication skills. **Creative:** the binoculars can be turned in all directions. Looking through them gives a new perspective on the world.



Open space in front Social-Emotional: the bench along the keel is a great space for meeting and exchanging.



## **Oasis Sand Boat with Sail**



NRO529



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



The paint used for coloured components is water based environmentally friendly with excellent UV resistance. The paint is in compliance with EN 71 Part 3.



The Robinia products are designed with a KOMPAN color concept with a number of different standard colors. The wood can also be supplied as untreated or with brown painted with a pigment that maintains the wood color.

Item no. NR0529-1021	
Installation Information	
III height	

Max. fall height		3'3"
Safety surfacing area	3	82ft²
Total installation time		11.8
Excavation volume	1.9	4yd³
Concrete volume	0.1	2yd³
Footing depth (standard)		3'3"
Shipment weight	159	5lbs
Anchoring options	In-ground	~

Warranty Information			
Robinia Wood	10 Years		
Ropes & nets	10 Years		
Spare Parts Availability	10 Years		
Stainless steel components	Lifetime		
Stainless steel components	Lifetime		



The product/activities are preassembled from the factory to ensure all safety requirements are considered.



The Robinia wood can be supplied as untreated raw wood, painted with a brown colored transparent pigment that maintains the golden wood color or in a colored version where selected components are painted in different colors.

Elevated activities <b>0</b>	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	1	1
Required	0	1	1



# **Sustainability Data**

Cradle to Gate A1-A3

NRO529-1021

NRO529



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



#### Verification of CO<sub>2</sub> calculation of: Nature play



Data version no. 2023-10-05

The  $CO_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NR0409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

### mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



B U R E A U V E R I TAS

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Total CO2** 

emission

kg CO<sub>2</sub>e

130.19

CO2e/kg

kg CO<sub>2</sub>e/kg

0.19

Recycled

materials

%

1.05





NRO529

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area



\* Max fall height | \*\* Total height





NR0529

Click to see TOP VIEW

Click to see SIDE VIEW

5 / 11/18/2024