



Water Tap Podium

NRO507



| | |
|-----------------------------|---|
| Item no. NRO507-0601 | |
| General Product Information | |
| Dimensions LxWxH | 70x70x19 cm |
| Age group | 2+ |
| Play capacity (users) | 2 |
| Color options |   |



The Water Tap Podium eases access to tapping water or reaching basins for the youngest or smallest users. Additionally, the Water Tap Podium makes for a fine rest point or a meeting point for children playing with the sand and water items. Adding resting points and podiums to To playgrounds often add the glue needed to cater for meeting and

exchanging. It also facilitates usability for the youngest. Additionally, it adds a meeting point for care givers or parents who can casually or actively follow the play of the children seated on the Water Tap Podium.



Water Tap Podium

NRO507



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).

Robinia products are available in three different wood treatment options: Untreated Robinia wood or brown painted with a pigment that maintains the wood colour and coloured version with paint of selected components.

| | |
|--------------------------|--------------------------|
| Item no. NRO507-0601 | |
| Installation Information | |
| Max. fall height | 19 cm |
| Safety surfacing area | 11.7 m² |
| Total installation time | 2.0 hours |
| Excavation volume | 0.08 m³ |
| Concrete volume | 0.00 m³ |
| Footing depth (standard) | 60 cm |
| Shipment weight | 60 kg |
| Anchoring options | In-ground ✓ Surface ✓ |
| Warranty Information | |
| Robinia wood | 15 years |
| Spare parts guaranteed | 10 years |



Sustainability Data

NRO507



| Cradle to Gate A1-A3 | Total CO ₂ emission | CO ₂ e/kg | Recycled materials |
|----------------------|--------------------------------|-------------------------|--------------------|
| | kg CO ₂ e | kg CO ₂ e/kg | % |
| NRO507-0601 | 9.48 | 0.19 | 0.63 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

KOMPAN
Let's play

Kompan A/S

C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000




Water Tap Podium

NRO507

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height




NRO507-xx01

*19cm

**19cm

***11.7m²



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)