Play Panel 1 - Music

0

PCM000721




Item no. PCM000721-0901				
General Product Information				
Dimensions LxWxH	121x14x75 cm			
Age group	1+			
Play capacity (users)	4			
Colour options				











young children. Its variation of materials, sounds and cooperative play options keep children coming back again and again to participate in creative play, on their own or with friends and teachers. The music pipes offer sensory variation with a tuned and tonal sound outcome. They train hand-eye coordination

The music panel is an irresistible attraction to

which is crucial to control movement, e.g. hand writing. The black rubber flaps can be plunked or pipes beaten and tunes created. This trains the understanding of cause and effect and stimulates explorative, creative play. The tonality of the music panel stimulates logical as well as creative thinking and invites cooperation and social play.

0

0

.

0


Play Panel 1 - Music

PCM000721





Xylophone music panel Social-Emotional: invites social interaction and co-creation for more children, on both sides. Cognitive: understanding of cause and effect when striking tubes and creating sound. Creative: the creation of different intensity and tonality stimulates creative skills.





Tonality Cognitive: creative thinking when combining tones into tunes. Creative: composing new tonal combinations stimulates creativity.



Rubber flaps Social-Emotional: the two rows of flaps invite cooperation and co-creation. Cognitive: 'Cause and effect' understanding when

discovering sound from flaps hitting tubes.



Music tubes

Social-Emotional: invite social interaction and co-creation for more children, on both sides. Cognitive: understanding of cause and effect when striking tubes. Creative: the creation of different intensity and tonality stimulates creative skills.


Play Panel 1 - Music

PCM000721





Panels of 19mm EcoCore[™]. EcoCore[™] is a highly durable, eco-friendly material, which is not only recyclable after use but also consists of a core produced from 100% recycled material.



The pipes are made of die-cast aluminium specifically alloyed for outdoor environments and come in different lengths to create different tones.



Main posts with hot dip galvanized steel footing are available in different materials: Pressure impregnated pine wood posts. Pre-galvanized inside and outside with powder coated top finish steel posts. Lead free aluminum with color anodized top finish. Greenline TexMade posts of 95% post-consumer recycled PE and textile waste.

Item no. PCM000721-0901				
Installation Information				
Max. fall height		0 cm		
Safety surfacing area	10).9 m²		
Total installation time		2.9		
Excavation volume	0.	05 m³		
Concrete volume	0.	00 m³		
Footing depth (standard)	8	35 cm		
Shipment weight		51 kg		
Anchoring options	In-ground	~		
	Surface	~		
Warranty Information				
EcoCore HDPE	Lif	etime		
Galvanised Steel	Lif	etime		
Movable Parts	2	years		
Post	10	years		
Spare Parts Guarantee	10 years			



Membranes consist of friction-proof rubberised material of conveyor belt quality with excellent UV resistance which is then embedded is a fourlayered armouring made of woven polyester. The armouring and the two surface layers result in a total thickness of 9 mm.



KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with the lowest possible CO2e emission factor such as EcoCoreTM panels of 100% post consumer recycled ocean waste.



Sustainability Data

PCM000721



Cradle to Gate A1-A3		Total CO ₂ emission	CO₂e/kg	Recycled materials
		kg CO₂e	kg CO₂e/kg	%
1	PCM000721-0950	90.30	1.99	61.29
	PCM000721-0901	116.23	2.89	46.82

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Themed play systems



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000




PCM000721

* Max fall height | ** Total height | *** Safety surfacing area



* Max fall height | ** Total height





PCM000721

Click to see TOP VIEW

Click to see SIDE VIEW

5 / 09/05/2024