# **Freestanding Basketball Hoop with Nylon Net**

KOMPAN

FRE3020



Item no. FRE3020-3717		
General Product Information		
Dimensions LxWxH	0'0"x0'0"x12'1"	
Age group	3+	
Play capacity (users)	-	
Color options		

The Freestanding Basketball Hoop is a sturdy backboard system with a nylon net.



## **Freestanding Basketball Hoop with Nylon Net**







3 choices of nets: Polyamide (PA), PA reinforced with a steel wire inside, stainless steel chains which meet the requirements in ISO1434-ISO1435 and DIN766.

All steel components are manufactured from carbon steel, welding's according EN ISO 5817 & Hot dip galvanised (HDG) according to ISO1461. This process ensures good protection in all circumstances.

Item no. FRE3020-3717		
Installation Information		
Max. fall height		0'0"
Safety surfacing area		0ft <sup>2</sup>
Total installation time		2.9
Excavation volume	0.	42yd³
Concrete volume	0.	27yd³
Footing depth (standard)		2'11"
Shipment weight	3	92lbs
Anchoring options	In-ground	~
Warranty Information		

KO

warranty mormation		
EPDM components	2 Years	
HDG post	Lifetime	
Spare Parts Availability	10 Years	

### **Sustainability Data**

Cradle to Gate A1-A3

FRE3020-3717

FRE3020



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of  $CO_2$  calculation of: Sport



#### Data version no. 2023-10-05

The  $CO_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Sport" represented by item no.: FRE600202-0901.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

#### maiz

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

**By Bureau Veritas HSE** www.bureauveritas.dk +45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Total CO2** 

emission

kg CO<sub>2</sub>e

272.26

CO2e/kg

kg CO<sub>2</sub>e/kg

2.30

Recycled

materials

%

56.62





\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height

Click to see TOP VIEW

