Mermaid's Fountain

PCM504



| Item no. PCM504-0602 | | | | |
|-----------------------------|----------------|--|--|--|
| General Product Information | | | | |
| Dimensions LxWxH | 196x218x215 cm | | | |
| Age group | 2 - 5 | | | |
| Play capacity (users) | 15 | | | |
| Colour options | • • | | | |



The Mermaid's Fountain has vivid, warm colors which attract children again and again. The richness of tactile activities to be explored invites deep play and makes the child want to stay and play for a long time and revisit, again and again. The basin table levels support explorative social play across ages and abilities. All children can see the other children playing, get inspired and keep contact with one another. The yellow basin can be emptied by pulling the black water stoppers. Children will do this again and again to watch the water running out from underneath the basin. The red water tub with dispenser is placed at the side to be accessible for all. It works by pushing, making it possible for all to tap the water. The red basin can be turned to supply water in all directions. There is ample table space, allowing for creative play with sand and water. With the proper surfacing, the piece can be used and accessed by all.





Mermaid's Fountain

PCM504



Sand shovel Physical: develops dexterity and upper body muscles. Cognitive: understanding of object permanence, emptying and filling scoop.





Water basin Social-Emotional: meeting point for cooperation and sharing. Cognitive: the basin can be lifted and emptied, adding to play as well as to logical thinking skills.

KOM

Let's play



Changeable sand funnel

Social-Emotional: supports cooperation and turn-taking as children pour water or materials into the funnel. Cognitive: the passing of materials through funnels develops children's logical thinking, for younger children the understanding of object permanence: that materials do not vanish, but run through. Creative: the sand funnel can be turned, creating new directions of dispensing materials.



Water tap

Social-Emotional: develops turn-taking and cooperation when helping get water. Opens when pushed with hand, elbow, foot, chin or shoulder. Placed to also be reachable from a seated position. Cognitive: supports cause and effect understanding and logical thinking when figuring out how to push for water and let go for stopping the water stream. Creative: changing the amounts and sequences of the water flow.



Red water dispenser

Social-Emotional: supports cooperation and negotiation skills when figuring out where to funnel water. Opens when pushed with hand, elbow, foot, chin or shoulder. Placed to also be reachable from a seated position. Cognitive: develops logical thinking in distributing the water to the basin intended, or elsewhere. Creative: mixing the water with various grained materials into new, shapeable material stimulates the urge to create in children.




Yellow basin with black rubber stop

Cognitive: logical thinking and understanding of cause and effect are trained when children stop or let go of water from the basin. Creative: the water plug makes changing water levels possible, which adds to logical thinking skills.


Mermaid's Fountain



PCM504



Panels of 19mm EcoCore[™]. EcoCore[™] is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



Yellow basin is made from UV-stabilised PC with a thickness of 3 mm. The basin can be lifted up for emptying. The basin is fixed to the structure by a steel chain to prevent removal.


| | a |
|-------|------------|
| 6 | 60 B |
| | C 3 |
| | |
| 6 | a . |
| 4 - E | 6 |
| 6 | 6 |
| 6 | 6 |
| 6 | |
| 4 E | 6 |
| 6 | 3 |

The main posts are made of high quality pregalvanized steel with powder coated top finish equipped with hot dip galvanized steel footings. Other metal parts are hot dip galvanized.

| Item no. PCM504-0602 | | | | | |
|--------------------------|-----------|---------|--|--|--|
| Installation Information | | | | | |
| Max. fall height | | 0 cm | | | |
| Safety surfacing area | | 0.0 m² | | | |
| Total installation time | | 6.7 | | | |
| Excavation volume | 0 | .85 m³ | | | |
| Concrete volume | 0 | .00 m³ | | | |
| Footing depth (standard) | | 64 cm | | | |
| Shipment weight | | 239 kg | | | |
| Anchoring options | In-ground | ~ | | | |
| | Surface | ~ | | | |
| Warranty Information | | | | | |
| EcoCore HDPE | L | ifetime | | | |

Hame the DOMEON OCOC

| EcoCore HDPE | Lifetime |
|-------------------------------|----------|
| Hot dip galvanised steel | Lifetime |
| Solid plastic parts | 10 years |
| Spare parts guaranteed | 10 years |
| Stainless steel components | Lifetime |



Long basin is made of pressure moulded high quality nylon (PA6). PA6 has good wearing and impact strength.



Play activities like the Funnel Cone are made of glass fiber. Glass fiber has good wearing and impact strength.



The integrated water tap open for water when pushed and stops when letting go. The water is supplied trough a pipe located inside the post with hose or pipe connection at the bottom of the post. The supply can either a loose hose or a permanent in-ground pluming.

| Elevated activities 0 | Accessible elevated activities | Accessible ground level activities | Accessible ground level play types |
|------------------------------|--------------------------------------|---|---|
| Present | 0 | 1 | 1 |
| Required | 0 | 1 | 1 |



Sustainability Data

Cradle to Gate A1-A3

PCM504-0602

PCM504



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Themed play systems



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

244.14

CO2e/kg

kg CO₂e/kg

2.06

Recycled


materials

%

61.42




PCM504





* Max fall height | ** Total height



*71-11 *71-11 *71-11

PCM504

PCM504 ** 7'-1" / 215cm

Click to see TOP VIEW

Click to see SIDE VIEW

5 / 05/23/2024

Data is subject to change without prior notice.