One Seat Swing

NRO901



Item no. NRO901-1001		
General Product Information		
Dimensions LxWxH	175x30x195 cm	
Age group	2+	
Play capacity (users)	1	
Color options		



The sturdy rubber seat of the One Seat Swing is an irresistible invitation for the child to lean in and swing. Children simply love to swing on the One Seat Swing, there are many reasons for this, firstly; when the swing seat responds back to the movements of the child, this cause and effect learning can be repeated and challenged each time. Secondly, the rubber seat is placed at the right height for a child to lie on their stomach, and push their feet to feel the swinging motion. This trains the child's motor skills, specifically the sense of balance and space. These are both fundamental to navigate the surroundings securely. The emotional value of swinging independently is priceless for toddlers' self esteem. widening their physical comfort zone. Parents and peers can easily join the fun.



One Seat Swing

NRO901





Low, rubber swing seat Physical: support for pushing with feet, developing leg muscles and sense of balance, coordination, as well as spatial awareness. Social-Emotional: self-confidence is fostered from being able to do it yourself. Cognitive: understanding of cause and effect.



One Seat Swing



NRO901



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



The standard seats of KOMPAN swings is engineered for maximum safety and durability. The two component seat with a PP inner core and outside rubber is produced in one operation. The seats are available with swing chains of either hot dip galvanised steel or stainless steel for all swings heights.



Swing suspensions are made of polyamide and consist of double ball bearing system with swivel.

Installation Information

Max. fall height	100 cm
Safety surfacing area	11.4 m²
Total installation time	2.3
Excavation volume	0.14 m³
Concrete volume	0.07 m³
Footing depth (standard)	100 cm
Shipment weight	133 kg
Anchoring options	In-ground 🗸

Warranty Information		
PUR components	10 years	
Robinia wood	15 years	
Spare parts guaranteed	10 years	
Stainless steel components	Lifetime	



The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.



Sustainability Data

Cradle to Gate A1-A3

NRO901-1001

NRO901



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO, calculation of: Nature play



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NR0409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO, calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



www.bureauveritas.dk +45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

35.01

CO2e/kg

kg CO₂e/kg

0.37

Recycled

materials

%


2.18




NRO901

* Max fall height | ** Total height | *** Safety surfacing area





NRO901 *100cm **195cm ***11.4m²



* Max fall height | ** Total height

NRO901

Click to see TOP VIEW

Click to see SIDE VIEW