Multispinner Carousel, Teal

ELE400063



Item no. ELE400063-371	7	
General Product Information		
Dimensions LxWxH	176x176x77 cm	
Age group	3+	
Play capacity (users)	7	
Color options	•	



The quirky look of the fabulous Multispinner Carousel attracts children to try it out again and again. Easily accessible due to its inclination having one lower and one higher end, the Multispinner embraces both younger and older children. The bowls make comfortable seating options. The middle part is a show-of stage for those with extremely good balance skills. With great cooperation skills, the Multispinner can be spun from seated position, having children coordinate their swinging movements, leaning forwards and backwards in an agreed rhythm. Thus the Multispinner, apart from being great fun, trains cooperation and team work. The spinning movement is a great training of the vestibular system, the sense of balance in particular. The sense of balance is fundamental to for instance the ability to sit still on a chair, concentrating. In other words, the Multispinner is great play with a purpose.



Data is subject to change without prior notice.

Multispinner Carousel, Teal



ELE400063



The GreenLine Multispinner base and bowl in teal color are designed with molded PP parts which consist of 33% recycled post-consumer ocean waste. Ocean waste is collected from the maritime industry, such as fishing nets, ropes and trawls.



The bowls are made of recyclable PE made from 33% post consumer materials. The bowls are molded in one piece with integrated metal thread bushings and water drain hole to ensure high durability in all climates around the world.




Heavy duty engineered bearing system with single row deep groove ball bearings with rubber seals. The fully closed bearing construction is lifetime lubricated and maintenance free.

Item no. ELE400063-3717		
Installation Information		
Max. fall height	1	00 cm
Safety surfacing area	2	6.1 m²
Total installation time		5.3
Excavation volume	0	.44 m³
Concrete volume	0	.31 m³
Footing depth (standard)	1	00 cm
Shipment weight	2	200 kg
Anchoring options	Surface	~
	In-ground	~



The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



GreenLine versions in teal color are designed with molded PE parts which consist of 33% recycled post-consumer ocean waste. Ocean waste is collected from the maritime industry, such as fishing nets, ropes and trawls.



Sustainability Data

Cradle to Gate A1-A3

ELE400063-3717

ELE400063



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO, calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO, calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO, calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

315.30

CO2e/kg

kg CO₂e/kg

2.13

Recycled

materials

%

41.00





ELE400063

* Max fall height | ** Total height | *** Safety surfacing area



* Max fall height | ** Total height





ELE400063

Click to see TOP VIEW

Click to see SIDE VIEW

4 / 04/22/2024