NRO424






General Product Information

Dimensions LxWxH 903x1094x564 cm
Age group 6+
Play capacity (users) 54
Colour options





There is the climbing wall, rope accesses, net bridge, and monkey bars for adventurous play, and of course the slide for a quick escape. Be lost in a medieval world within this colourful, organic timber structure. The Robinia timber is durable, natural and gives children a nature-inspired theme that can blend into, or stand out from your surrounding landscape. View other

nature-inspired themed playground equipment here.



NRO424





Slide

Physical: develops spatial awareness, sense of balance and trains core muscles when sitting upright going down. Social-Emotional: empathy stimulated by turn-taking.









Coconut rope bridge

Physical: the bridge sways gently, training the sense of balance and space when the child balances across. These motor skills in are great for learning how to navigate space. Social-Emotional: children swaying together on the rope experience their own and others' movements. This spurs cooperation and consideration, e.g. when passing others on the rope.







Physical: supports cross coordination, proprioception and sense of space. Leg, core and upper body muscles are used intensely. Social-Emotional: turn-taking and selfregulation, both important life skills.



Draw bridge area





Physical: varied rope rails offer levelled challenge of balance and spatial awareness as well as arm, leg and core muscles. Social-**Emotional:** the two rope rails support cooperation, parallel play and positive competition by offering varied difficulty levels in entrance.



Cognitive: the cannon set a tangible theme and thus spur dramatic play. Dramatic play supports language and communication skills.







Physical: supports coordination, arm and core muscles. Landing strengthens bone density Social-Emotional: turn-taking and risk-taking.







Fireman's pole

Physical: supports coordination, arm and core muscles. Landing strengthens bone density. Social-Emotional: turn-taking and risk-taking.

NRO424





All organic Robinia products by KOMPAN are made of Robinia wood which is sourced from sustainable plantation farms. On request it can be supplied as FSC® Certified (FSC® C004450).



The paint used for coloured components is water based, which is environmentally friendly and has excellent UV resistance. The paint complies with Australian Standards.



The Robinia products come in a number of standard colour options. The wood can also be supplied as untreated or with brown painted with a pigment that maintains the wood colour.



Item no. NRO424-1021

Installation Information Max. fall height 300 cm Safety surfacing area 122.5 m² Total installation time 119.8 Excavation volume 5.78 m³ Concrete volume 2.90 m³ Footing depth (standard) 100 cm

Shipment weight 5,262 kg Anchoring options In-ground

Warranty Information Robinia Wood 15 years Ropes & Nets 10 years Spare Parts Guarantee 10 years Stainless Steel Lifetime Components Stainless Steel Slide 10 years



Ropes of UV-stabilized PES rope strands with inner steel cable reinforcement. The polyester yarn is made from +95% post-consumer materials and is inductively melted onto each strand.



The product/activities are preassembled from the factory to ensure all safety requirements are considered.



Corocord ropes of the bridge are special 'Hercules'-type with galvanised six-stranded steel wires and a steel wire core. The PP rope in coconut style has a diameter of 15 cm. The internal steel wire core has thimbles at both ends, which serve as attachments for the rope to existing connecting elements.



Sustainability Data

NRO424





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO424-1021	3,829.20	0.77	3.60

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

made

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000







* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height

