
Man-O-War

PCM113721



Item no. PCM113721-0901				
General Product Information				
Dimensions LxWxH	969x997x501 cm			
Age group	4+			
Play capacity (users)	53			
Colour options	•			





Themed play just got even better with this great ship. Its outstanding play value on the lower and upper decks allow everyone to play together. The manipulative and interactive components like the binoculars, canons and treasure chest ensure endless hours of dramatic and imaginative play, which support children's social/emotional and cognitive/creative development. The tactile activities unconsciously develop children's fine motor skills and encourage them to just have fun. Other role-play activities support their physical development too, such as playing man aboard using the fireman's pole or walk the line with the track ride.



PCM113721





Megaphone Social-Emotional: inspires communication and turn-taking skills. Cognitive: distortion of sound evokes curiosity and stimulates an understanding of cause and effect.





Track ride

Physical: supports bone density, motor skills like agility, balance and coordination. Trains arm and core muscles. Social-Emotional: cooperation, consideration, turn-taking, risktaking, self-confidence.



Slide

Physical: develops spatial awareness, sense of balance and trains core muscles when sitting upright going down. Social-Emotional: empathy stimulated by turn-taking.



Binoculars

Cognitive: the binoculars promote dramatic play, a great trainer of language and communication skills. **Creative:** the binoculars can be moved around. Looking through them gives a new perspective on the world.



Hammock

Physical: coordination and sense of balance when swaying. **Social-Emotional:** meeting, pushing friends gently back and forth, turntaking. **Cognitive:** for toddlers 'cause and effect' understanding.



Fireman's pole

Physical: supports coordination, arm and core muscles. Landing strengthens bone density. **Social-Emotional:** turn-taking and risk-taking.



Boarding net

Physical: the inclined net supports the upward climbing movement of the body. Cross coordination and physical strength are trained. The asymmetry of the net challenges the children's climbing.

Man-O-War







Panels of 19mm EcoCore[™]. EcoCore[™] is a highly durable, eco-friendly material, which is not only recyclable after use but also consists of a core produced from 100% recycled material.



Main posts with hot-dip galvanised steel footing are available in different materials including; pressure impregnated pinewood posts, pregalvanised posts that are powder-coated or a lead-free aluminium option with an anodised colour top finish.



All decks are supported by unique designed low-carbon aluminum profiles with multiple attachment options. The grey colored molded decks are made of 75% post-consumer waste PP material with a non-skid pattern and texture surface.

Item no. PCM113721-0901				
Installation Information				
Max. fall height	20	8 cm		
Safety surfacing area	96	.0 m²		
Total installation time		54.8		
Excavation volume	2.4	l0 m³		
Concrete volume	0.4	l8 m³		
Footing depth (standard)	9	0 cm		
Shipment weight	2,08	37 kg		
Anchoring options	Surface	~		

Warranty Information				
EcoCore HDPE	Lifetime			
Post	10 years			
PP Decks	10 years			
Ropes & Nets	10 years			
Spare Parts Guarantee	10 years			



The slides can be chosen in different materials and colours. Options include straight, or curved moulded PE slides in yellow or grey colour or a full stainless steel option which is a more vandalism proof solutions.



Nets and ropes are made of UV-stabilised PA with inner steel cable reinforcement. The rope is induction treated to create a strong connection between steel and rope, which leads to durable weather resistance.



The hang-on puller is designed with a welded steel core and covered with a low-density Polyethylene housing. The two rubber coated handles are angled to provide the best possible ergonomic while gliding. The wheels of the puller are manufactured from low noise Thermoplastic Polyurethane and installed with sealed ball bearings.



Sustainability Data

PCM113721



Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
PCM113721-0901	2,709.84	1.82	67.13

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

KOMPAN Let's play

Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Play systems



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



By Bureau Veritas HSE

www.bureauveritas.dk

+45 7731 1000





PCM113721



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





PCM113721

Click to see SIDE VIEW

Click to see TOP VIEW