


Crazy Daisy

M128



Item no. M12871-01P

General Product Information


Dimensions LxWxH	100x100x62 cm
Age group	1+
Play capacity (users)	4
Colour options	



WOW! It's play for toddlers! The youngest in the playground gets thrilled by the social and physical potential of the Crazy Daisy: 1, 2, 3 or 4 children can seesaw, play, and cooperate. This makes this a highly versatile play unit, taking up little space and appealing to toddlers again and again. Apart from being a great play, the Crazy Daisy supports fundamental areas of

child development and learning through play: Important motor skills such as balance and proprioception get trained when children rock, pushing their feet, and pulling their arms. These are fundamental to life skills such as for instance managing traffic securely. While rocking together, toddlers additionally train important social-emotional skills such as

cooperation. The logic of movement sequence trains the child's thinking skills. The Crazy Daisy is true playful learning.



Data is subject to change without prior notice.


Crazy Daisy

M128



Rocking together

Social-Emotional: the possibility of rocking two together trains cooperation skills and consideration of others.



Handhold

Physical: opens more hold positions and ensures good grip, necessary for rocking intensely which trains hand and arm muscles.



Rocking spring

Physical: response to movements adds to spatial awareness and sense of balance which are fundamental motor skills.
Cognitive: trains the understanding of cause and effect: when I move my body, the spring responds with movement.



Foot support

Physical: the footrest supports intensive rocking, which stimulates the senses of balance and space, fundamental for managing the world securely.

Crazy Daisy

M128



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco-friendly material, which is not only recyclable after use but also consists of a core produced from 100% recycled material.



KOMPAN's springs are manufactured from high-quality spring steel. The springs are cleaned by phosphating before being painted with epoxy primer and polyester powder coating. The springs are fixed by unique anti-pinch fittings for maximum safety and longevity.



The springs are fixed by unique anti-pinch fittings for maximum safety and longevity.



The springs are fixed by unique anti-pinch fittings for maximum safety and longevity, and the springs have a PUR insert for stabilising the spring.



Handles are made of high-quality nylon (PA6), which requires low maintenance.




KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with the lowest possible CO2e emission factor such as EcoCore™ panels of 100% post consumer recycled ocean waste.

Item no. M12871-01P	
Installation Information	
Max. fall height	60 cm
Safety surfacing area	9.6 m ²
Total installation time	1.5
Excavation volume	0.19 m ³
Concrete volume	0.00 m ³
Footing depth (standard)	45 cm
Shipment weight	53 kg
Anchoring options	In-ground ✓ Surface ✓
Warranty Information	
EcoCore HDPE	Lifetime
Handle	10 years
HPL Platform	15 years
Spare Parts Guarantee	10 years
Springs	5 years



Sustainability Data

M128



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
M12871-01P	128.28	2.59	27.80

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000




Crazy Daisy


M128

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



M12871
*60cm
**62cm
***9.6m²



M12871

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)