
Cosmos, 19x36m

FRE2116



| Item no. FRE2116-3317 | | | | |
|-----------------------------|------------------|--|--|--|
| General Product Information | | | | |
| Dimensions LxWxH | 3662x1980x370 cm | | | |
| Age group | 3+ | | | |
| Play capacity (users) | - | | | |
| Color options | • | | | |





A multisport pitch includes two goals with built in basketball hoops and a height adjustable multisport net in the middle of the play area. The panels in the goal area have engraved sport motifs. The goals have removable antimoped barriers for wheelchair access and the lower barriers have lower profile for grass edge protection with water drainage holes. The pitch is based on a modular system. The dimensions of the pitch can be customized according to individual requirements. The HD polyethylene panels can be supplied in different standard colors. The pitch can also be equipped with a number of additional activities



Cosmos, 19x36m

FRE2116



| Item no. FRE2116 | -3317 | | | | |
|--------------------------|-----------|------|--|--|--|
| Installation Information | | | | | |
| Max. fall height | (|) cm | | | |
| Safety surfacing area | 0. | 0 m² | | | |
| Total installation time | 1 | 04.3 | | | |
| Excavation volume | 5.2 | 5 m³ | | | |
| Concrete volume | 5.1 | 2 m³ | | | |
| Footing depth (standard) | 7(|) cm | | | |
| Shipment weight | 5,28 | 5 kg | | | |
| Anchoring options | In-ground | • | | | |
| | | | | | |
| | | | | | |
| | | | | | |



Sustainability Data

FRE2116



| Cradle to Gate A1-A3 | Total CO ₂ emission | CO₂e/kg | Recycled materials |
|----------------------|--------------------------------|------------|--------------------|
| | kg CO₂e | kg CO₂e/kg | % |
| FRE2116-3317 | 8,514.90 | 1.91 | 66.60 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Sport



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Sport" represented by item no.: FRE600202-0901.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

maiz

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant


Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



www.bureauveritas.dk +45 7731 1000

By Bureau Veritas HSE





FRE2116

* Max fall height | ** Total height | *** Safety surfacing area

KOMPAN Let's play

* Max fall height | ** Total height





Click to see TOP VIEW

4 / 04/22/2024