

# Baby Seat, 8 ft

SW990023



|                                    |                |
|------------------------------------|----------------|
| Item no. SW990023-00               |                |
| <b>General Product Information</b> |                |
| Dimensions LxWxH                   | 2'1"x1'3"x0'0" |
| Age group                          | 1+             |
| Play capacity (users)              | 1              |
| Color options                      | ●              |



The sturdy baby seat of the Baby Seat Swing is an irresistible invitation for infants and their caregivers. The swinging motion of the Baby Seat Swing will make infants want to go again and again. There are several benefits of the attraction: firstly, the swing seat supports the seated infant all around so that the feeling of security is guaranteed. Secondly, the rubber

seat is placed in a good height for the infant to be in eye level with children. The swinging motion trains the child's motor skills, specifically the sense of balance and space. Seated while swinging also trains the core muscles. All of these physical skills are fundamental to the infants ability to walk and navigate the surroundings securely. The action

also stimulates the understanding of cause and effect and thinking skills. Socially, swinging and getting pushed in the swing seat by parents, caregivers or siblings is great fun.



# Baby Seat, 8 ft

SW990023



## Toddler swing seat

**Physical:** balance, coordination and spatial awareness are developed when swinging.

These are necessary skills for judging distances and navigating. **Social-Emotional:** feeling of security from support. **Cognitive:** understanding of cause and effect.



# Baby Seat, 8 ft

SW990023



The baby seat is a two component seat with a PP inner core and outside rubber, produced in one operation. The seat is available with swing chains of either hot dip galvanized steel or stainless steel.

| Item no. SW990023-00     |                    |
|--------------------------|--------------------|
| Installation Information |                    |
| Max. fall height         | 7'11"              |
| Safety surfacing area    | 170ft <sup>2</sup> |
| Total installation time  | 0.1                |
| Excavation volume        | 0yd <sup>3</sup>   |
| Concrete volume          | 0yd <sup>3</sup>   |
| Footing depth (standard) | 0'0"               |
| Shipment weight          | 13lbs              |
| Anchoring options        |                    |
| Warranty Information     |                    |
| Chains                   | 10 Years           |
| Spare Parts Availability | 10 Years           |
| Swing seat               | 10 Years           |

| Elevated activities 0 | Accessible elevated activities | Accessible ground level activities | Accessible ground level play types |
|-----------------------|--------------------------------|------------------------------------|------------------------------------|
| Present               | 0                              | 0                                  | 0                                  |
| Required              | 0                              | 0                                  | 0                                  |

**ASTM  
F1487**  
compliant

# Sustainability Data

SW990023



| Cradle to Gate A1-A3 | Total CO <sub>2</sub> emission | CO <sub>2</sub> e/kg    | Recycled materials |
|----------------------|--------------------------------|-------------------------|--------------------|
|                      | kg CO <sub>2</sub> e           | kg CO <sub>2</sub> e/kg | %                  |
| SW990023-00          | 22.64                          | 4.30                    | 22.79              |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Kompan A/S**  
 C.F. Tietgens Boulevard 32C  
 DK-5220 Odense SØ  
 Denmark



## Verification of CO<sub>2</sub> calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 30. October 2023 | Valid until: 30. October 2025**

**Verified by:**

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

**Publication date: 30. October 2023**

**By Bureau Veritas HSE**  
 www.bureauveritas.dk  
 +45 7731 1000




# Baby Seat, 8 ft


SW990023

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



SW990023  
\*\*\*170ft<sup>2</sup> / 15.8m<sup>2</sup>



SW990023  
1:100

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)