Truck

KPL502



Item no. KPL502-0612				
General Product Information				
Dimensions LxWxH	133x102x130 cm			
Age group	6m+			
Play capacity (users)	6			
Color options	•			



The Truck signals play loud and clear and attracts infants and toddlers again and again. The cute rounded shapes and the vibrant colours are exciting to children. And the manipulative steering wheel, gear and yellow headlight spheres can be handled and turned again and again. The car has three compartments, the two of which are relatively open to the front and rear. They both offer ample seating, and the rear also features two tinkering tables. The themes of traffic and cars are well-known to toddlers. They take a starting point in the toddlers' near world and open up scope of going into the wider world. Dramatic play scenarios such as visiting family are played out repeatedly in the Truck. This is an

80

0

important contribution to the development of language skills and literacy.





Truck

KPL502





Turning wheel Cognitive: the manipulative item stimulates cause and effect understanding.





Theme Cognitive: suggests a theme and supports dramatic play, which stimulates language and communication skills.



Truck bed Social-Emotional: the truck bed allows for more children to be together and share. Important life skills like consideration and turntaking are built.




Bench Social-Emotional: gathering, cooperating or taking a break from play - all train social skills.

Truck

KPL502







Panels of 19mm EcoCore[™]. EcoCore[™] is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste. Foot support is made of HPL with a thickness of 17,8mm with a very high wearing strength and a unique KOMPAN nonskid surface texture.

Item no. KPL502-0612					
Installation Information					
Max. fall height	5	53 cm			
Safety surfacing area	15	.2 m²			
Total installation time		6.1			
Excavation volume	0.1	15 m³			
Concrete volume	0.0	00 m³			
Footing depth (standard)	6	60 cm			
Shipment weight	1	57 kg			
Anchoring options	In-ground	~			
	Surface	~			
Warranty Information					
EcoCore HDPE	Life	etime			
HPL decks	15 years				
Spare parts guaranteed	10	years			



Sustainability Data

KPL502






Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials	
	kg CO₂e	kg CO₂e/kg	%	
KPL502-0612	204.48	1.86	49.98	


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))




KPL502



* Max fall height | ** Total height



KPL502 *53cm **130cm ***15.2m²



KLP502

Click to see TOP VIEW



