


Embankment Slide, 1.5m high, 2.0m wide

KSL30304

Item no. KSL30304-0401

General Product Information


Dimensions LxWxH	280x204x97 cm
Age group	3+
Play capacity (users)	2
Color options	●



폭이 넓은 Embankment Slide 는 아이들에게 큰 매력을 선사합니다. 아이들은 언덕을 올라갔다다 다시 미끄러지는 놀이를 반복하며 자연스럽게 몰입하게 됩니다. Embankment Slide 는 놀이터에서 가장 인기 있는 요소가 될 뿐만 아니라, 아이들이 균형 감각과 공간 인지 능력을 발달시키는 데 도움을 줍니다. 이러한 감각은 아이들이 세상을 자신감 있게 탐색하고

안전하게 움직이는 데 중요한 역할을 합니다. 또한, 반복적으로 미끄러지고 다시 언덕을 뛰어오르는 과정은 심폐 지구력과 근력 향상에 효과적인 운동이 됩니다. 넓은 폭 덕분에 친구들과 함께 내려올 수 있어 더욱 신나고 활동적인 놀이가 가능하며, 이는 사회적·정서적 발달에도 긍정적인 영향을 줍니다. 같이 미끄러움을 타며 자연스럽게 협력하고

소통하는 능력을 기를 수 있어 더욱 풍부한 놀이 경험을 제공합니다.




Embankment Slide, 1.5m high, 2.0m wide


KSL30304



The stainless steel components are made of high quality stainless steel in compliance with global playground standards. The steel is glass blasted after manufacturing to ensure a smooth gliding surface.



At 35°, the slide is set to the optimum angle to ensure both gliding fun and safety.



Catering to different terrains, the embankment slides are available in 9 lengths from 1 - 3m.

Item no. KSL30304-0401

Installation Information

Max. fall height	100 cm
Safety surfacing area	24.4 m ²
Total installation time	8.0
Excavation volume	1.49 m ³
Concrete volume	0.95 m ³
Footing depth (standard)	110 cm
Shipment weight	521 kg
Anchoring options	In-ground ✓


Warranty Information

Spare parts guaranteed	10 years
Stainless steel slide	10 years

EN
1176
compliant

Sustainability Data

KSL30304



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
KSL30304-0401	1,094.04	4.20	49.98

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000




Embankment Slide, 1.5m high, 2.0m wide


KSL30304

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



KSL30304
*100cm
**97cm
***24.4m²



KSL30304

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)