Playhouse with Desk

PCM001621



Item no. PCM001621-0601				
General Product Information				
Dimensions LxWxH	3'8"x3'6"x6'1"			
Age group	6m - 5			
Play capacity (users)	4			
Color options				





This activity packed, home-themed playhouse will attract and excite toddlers again and again. There are three features that make this playhouse unique; the scale of the house is perfect for toddlers, the flower window adds to the overall transparency so that children can play together from the outside and the inside of the house and the shop counter desk features a conveyor belt made of small wheels, providing a great tactile sensation. These sensory elements stimulate cross-modal perception, important for improving reading skills. The sand scoop panel has two scoops that can be filled, emptied and moved in tracks. This trains logical thinking, such as the understanding of cause and effect. The scoops can work from both sides of the panel encouraging cooperation and turn-taking, both important for making friendships.

Playhouse with Desk

PCM001621



Window Social-Emotional: invites interaction between sides and cooperative play.





Theme Cognitive: suggests a theme and supports dramatic play, which stimulates language and communication skills.

KOMP

Let's play



Sand scoops panel

Physical: hand eye coordination and pushpull movements. Social-Emotional: invites cooperation with two sides and provides for parallel play. Cognitive: logical thinking: cause and effect understanding when running scoops in grooves or shifting materials from scoop to scoop. Creative: shifting scoops, creating new scoop positions.




Desk with conveyor belt

Physical: tactile stimulation from running hands over rolling spheres on conveyor belt. Social-Emotional: sharing and cooperation from both sides create a social scenario that supports communication and cooperation. Cognitive: supports dramatic play scenarios, trains cause and effect understanding.

Playhouse with Desk





Panels are available in two different materials: 19 mm EcoCore™ HDPE or impregnated and brown painted pine wood. EcoCore™ is a highly durable, ecofriendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled material. Pine wood boards are embedded in stainless steel frames.



Main posts with hot-dip galvanized steel footing are available in different materials: Pressure impregnated pinewood posts. Pre-galvanized inside and outside with powder-coated top finish steel posts. Lead-free aluminum with color anodized top finish. Greenline TexMade posts of 100% post-consumer recycled PE and textile waste.



All decks are supported by uniquely designed low-carbon aluminum profiles with multiple attachment options. The grey-colored molded decks are made of 75% post-consumer ocean waste PP material with a non-skid pattern and texture surface.

Item no. PCM001621-0601					
Installation Information					
Max. fall height		0'0"			
Safety surfacing area		0ft ²			
Total installation time	5.5	hours			
Excavation volume	0.13yd³				
Concrete volume	0yd³				
Footing depth (standard)		2'0"			
Shipment weight	233lbs				
Anchoring options	In-ground 🗸				
	Surface	~			
Warranty Information					
EcoCore HDPE	Lifetime				
Hot dip galvanized steel	Lifetime				
Post	10 Years				
PP Decks	10 Years				
Spare Parts Availability	10 Years				



Roof is made from rotomolded PE. PE has high impact resistance across a wide temperature span that ensures durability.



KOMPAN GreenLine versions are designed with the most environmentally friendly materials with the lowest possible CO2e emission factor such as EcoCoreTM panels of 100% post-consumer recycled ocean waste. The steel surfaces are hot-dip galvanized inside and outside with lead-free zinc. The galvanization has excellent corrosion resistance in outside environments and requires minimal maintenance.

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	2	1
Required	0	0	0

ASTM ASTM F1487 F2373 compliant compliant



Sustainability Data

Cradle to Gate A1-A3

PCM001621-0651


PCM001621-0601

PCM001621



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark







Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

140.70

165.92

CO2e/kg

kg CO₂e/kg

1.35

1.88

Recycled

materials

%

75.17

65.29




PCM001621

* Max fall height | ** Total height | *** Safety surfacing area



* Max fall height | ** Total height





PCE001621

PCM001621 ** 6'-1" / 186cm

Click to see TOP VIEW

Click to see SIDE VIEW

5 / 06/28/2025