
PCM000521









Wow! The Talk & Tumble with Tunnel immediately attracts young children. The variety of play activities will ensure long and eventful play times again and again. The scale is perfectly suited to early years children. The many climb or crawl through play experiences stimulate important motor skills such as cross-coordination. They support peek-a-boo and

hiding games. These train an understanding that objects and people do not cease to exist just because you can't see them and that they will re-appear. With sand scoops, the bench with its apple tree offers nice points for social play and rest. The flower panel table and play spheres invite interaction from both sides. The spheres can be run from both sides of the

panel. This stimulates taking turns skills and encourages social play.





PCM000521





Sand scoops









Physical: hand eye coordination and pushpull movements. Social-Emotional: invites cooperation due to the two-sides and provides grooves or shifting materials between scoops.

for parallel play. Cognitive: logical thinking: cause and effect, when running scoops in Creative: shifting scoops, creating new scoop positions.









Tunnel

Physical: the children crawl through the tunnel, developing motor skills such as crossbody coordination and proprioception. Social-Emotional: turn-taking when passing each









Keyhole flap

Social-Emotional: can be played from both sides, encouraging cooperation. Cognitive: tactile variation helps children to understand the characteristics of different materials and their uses and teaches them cause and effect.



Cognitive: the binoculars promote dramatic play, a great trainer of language and communication skills. Creative: the binoculars can be moved around. Looking through them gives a new perspective on the world.



Social-Emotional: fine meeting place and a space creator. Sharing and cooperation from both sides to create a social scenario that supports communication and cooperation.



Megaphone

Social-Emotional: inspires communication and turn-taking skills. Cognitive: distortion of sound evokes curiosity and stimulates an understanding of cause and effect.



Door opening

Physical: encourages running or crawling through, stimulating cross coordination and spatial awareness.

PCM000521





Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco-friendly material, which is not only recyclable after use but also consists of a core produced from 100% recycled material.



Main posts with hot dip galvanized steel footing are available in different materials: Pressure impregnated pine wood posts. Pre-galvanized inside and outside with powder coated top finish steel posts. Lead free aluminum with color anodized top finish. Greenline TexMade posts of 95% post-consumer recycled PE and textile waste.



Play activities like the megaphone are made of injection moulded high-quality nylon (PA6) which has excellent wearing and impact strength and is UV stabilised.


Item no. PCM000521-0601			
Installation Information			
Max. fall height	1	0 cm	
Safety surfacing area	26	.0 m²	
Total installation time		8.5	
Excavation volume	0.1	15 m³	
Concrete volume	0.0	00 m³	
Footing depth (standard)	60 cm		
Shipment weight	2	11 kg	
Anchoring options	In-ground ✓		
	Surface	~	
Warranty Information			
EcoCore HDPE	Lifetime		
Post	10 years		
Spare Parts Guarantee	10 years		



The tunnel is fabricated from a low-density PE with excellent impact strength and usable within a large temperature span.



Key flap membrane consists of friction-proof rubberized material of conveyor belt quality with excellent UV resistance. Embedded is a four-layered armouring made of woven polyester. The armouring and the two surface layers result in a total thickness of 9 mm.



KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with the lowest possible CO2e emission factor such as EcoCoreTM panels of 100% post consumer recycled ocean waste.



Sustainability Data

PCM000521





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
PCM000521-0650	255.69	1.44	69.06
PCM000521-0601	296.92	1.85	61.23


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Themed play systems



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

misi

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





PCM000521



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW