
PCM701









WOW! The Movable Hammocks take the prize as the most fun and interesting meeting point on ground level: The two hammocks can be run from side to side, placing them closer together or further apart. This creates an adjustable, swaying platform for socialising. Young people are extremely attracted to items that respond to movement, and the hammocks, rail and seating

combinations support fun body positions:
Children can be seated, lying, standing or
kneeling when relaxing together. This makes
the Movable Hammocks relevant to most ages
ages and users, including users with
disabilities. The movability of the hammocks
invites cooperation and taking turns skills. The
gentle, swaying feel when lying in the

hammock adds body pressure, known to calm down anxious children. Pleasant furniture for playful meetings.





PCM701











#### Movable hammock

Physical: sense of balance when swaying, body pressure when lying. Support users lying or seated. Social-Emotional: meeting, pushing friends gently back and forth, turntaking. Creative: changing direction and position of hammock.



PCM701



10 years



Panels of 19mm EcoCore<sup>™</sup>. EcoCore<sup>™</sup> is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



Steel posts are galvanised inside and outside with powder coated top finish. This provides an ultimate corrosion resistance in all climates around the world.



The stainless-steel activities are made of highquality stainless steel. The steel is cleaned by a total pickling process after manufacturing to ensure a smooth and clean gliding surfaces.

Item no. PCM701-0902			
Installation Information			
Max. fall height		59 cm	
Safety surfacing area	23	3.2 m²	
Total installation time		5.2	
Excavation volume	0.	22 m³	
Concrete volume	0.	04 m³	
Footing depth (standard)	;	85 cm	
Shipment weight	1	48 kg	
Anchoring options	In-ground ✓		
	Surface	•	
Warranty Information			
EcoCore HDPE	Lifetime		
Membrane	2 years		
Post	10 years		
Ropes & nets	10 years		



Belt seat is made of PUR. All components retain their properties in the temperature range of -30°C to 60°C. All materials are stabilised to a maximum without use of heavy metal stabilities.



Spare parts guaranteed

# **Sustainability Data**

PCM701





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



#### Verification of CO<sub>2</sub> calculation of: Park



Data version no. 2023-10-05

The  $\mathrm{CO}_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  $CO_2$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
PCM701-0902	424.77	4.00	37.48


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))






\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height





Click to see TOP VIEW

Click to see SIDE VIEW