

# Jump Pod Set

FSW221



Item no. FSW22100-0800

## General Product Information

Dimensions LxWxH 61x128x60 cm

Age group 13+

Play capacity (users) 1

Colour options 



See KOMPAN Fit app for more

A set of three jump pods in the height of 10cm, 30 cm and 60 cm. Through combining different heights and arranging them with varying distance to have multiple difficulty levels, they are a great addition to any obstacle course. The material of the pods is carefully chosen to provide a good grip, even when it is wet.



# Jump Pod Set

FSW221



Stepping point is made of SBR rubber. It has good heat and abrasion resistance.



The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.

Item no. FSW22100-0800

## Installation Information

Max. fall height	60 cm
Safety surfacing area	12.2 m <sup>2</sup>
Total installation time	1.7
Excavation volume	0.32 m <sup>3</sup>
Concrete volume	0.09 m <sup>3</sup>
Footing depth (standard)	86 cm
Shipment weight	57 kg
Anchoring options	In-ground ✓ Surface ✓

## Warranty Information

Hot dip galvanised steel	Lifetime
SBR rubber	2 years



# Sustainability Data

FSW221



Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO <sub>2</sub> e/kg	Recycled materials
	kg CO <sub>2</sub> e	kg CO <sub>2</sub> e/kg	%
<b>FSW22100-0800</b>	125.27	2.22	22.70

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Kompan A/S**  
 C.F. Tietgens Boulevard 32C  
 DK-5220 Odense SØ  
 Denmark



## Verification of CO<sub>2</sub> calculation of: Fitness



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Fitness" represented by item no.: FAZ10100-0900.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 30. October 2023 | Valid until: 30. October 2025**

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

**Publication date: 30. October 2023**

By Bureau Veritas HSE  
 www.bureauveritas.dk  
 +45 7731 1000




# Jump Pod Set

FSW221

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



FSW22100  
\*60cm  
\*\*60cm  
\*\*\*12.2m<sup>2</sup>



FSW22100

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)