

# Play Panel 3 - Learning

NRO615

**KOMPAN**  
Let's play

Item no. NRO615-1001

## General Product Information

|                       |   |
|-----------------------|---|
| Dimensions LxWxH      | 288x176x83 cm   |
| Age group             | 1+  |
| Play capacity (users) | 10  |
| Color options         |  |



The Learning Play Panel 3 is immensely intriguing for children thanks to the richly varied tactile details. The low bench counter in the middle invites meetings and sharing and makes a great point for playing workshop, a playground favorite. On the one side of the bench, gearing wheels and a funnel stimulate children's logical thinking skills. The wheels will

turn each other's, and the funnel will transport materials through. To young children, this trains their understanding of object permanence: that items can appear out of sight but still be there. The play panels can be played from both sides, which invites social play and communication.




*Data is subject to change without prior notice.*

# Play Panel 3 - Learning

NRO615



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.



There are Multiple footing options for all products: Surface anchoring with steel footings and expansion bolts. Wood in-ground or steel in-ground footings.


| Item no. NRO615-1001     |                          |
|--------------------------|--------------------------|
| Installation Information |                          |
| Max. fall height         | 0 cm                     |
| Safety surfacing area    | 18.0 m <sup>2</sup>      |
| Total installation time  | 7.0                      |
| Excavation volume        | 0.50 m <sup>3</sup>      |
| Concrete volume          | 0.00 m <sup>3</sup>      |
| Footing depth (standard) | 100 cm                   |
| Shipment weight          | 219 kg                   |
| Anchoring options        | In-ground ✓<br>Surface ✓ |



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



The Xylophone music panel consist of HDPE material in 19mm EcoCore™. The pipes are made of die cast aluminum specifically alloyed for outdoor environments. The percussion panel consist of 2 Conga Drums with PP tubes and top in colored ABS.



Membranes consist of friction-proof rubberized material of conveyor belt quality with excellent UV resistance. Embedded is a four-layered armouring made of woven polyester. The armouring and the two surface layers result in a total thickness of 9 mm.



# Sustainability Data

NRO615



| <b>Cradle to Gate A1-A3</b> | <b>Total CO<sub>2</sub> emission</b> | <b>CO<sub>2</sub>e/kg</b> | <b>Recycled materials</b> |
|-----------------------------|--------------------------------------|---------------------------|---------------------------|
|                             | kg CO <sub>2</sub> e                 | kg CO <sub>2</sub> e/kg   | %                         |
| <b>NRO615-1001</b>          | 70.60                                | 0.44                      | 21.30                     |



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

# Play Panel 3 - Learning

NRO615

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)