ELE400060



176x176x77 cm



Item no. ELE400060-3717

#### **General Product Information**

Dimensions LxWxH

Age group

Play capacity (users)

Colour options



With its colourful seats and inviting shape, the Multispinner Carousel calls out loud for social spinning fun. The variety of play possibilities and positions make for hours of play. The spaciousness of the carousel allows many users in, on, or around the piece. The users spin and rotate standing or seated and push and pull the multi-spinner into motion. They

discover that they can put the piece into motion when seated: coordinating their movements like when swinging. The spinning trains the sense of balance. The pushing and pulling while running trains muscle strength and cardio. The play capacity encourages social interaction and turn-taking. Figuring out how to put into motion seated together, trains logical

thinking and cooperation.





ELE400060









# Coloured bowls Social-Emotional: encourages children to negotiate which color seat they want, turntaking. Cognitive: supports rules understanding and games: children will find reasons for choosing a colour.









#### Spacious surface

Physical: standing or sitting here trains agility, balance and coordination, the motor skills ABCs. Jumping off builds bone density.

Social-Emotional: using the surface promotes socialising and turn-taking skills.









#### Tilted position rotation

Physical: coordination and balance are supported when spinning. The leg, core and arms are trained when pushing and pulling the multi-spinner into motion. Social-Emotional: cooperation, consideration and turn-taking. Wide span of user ages and abilities. Cognitive: logical thinking, figuring out how to make rotation when seated, speeding up or slowing down the spin.

ELE400060



10 years

10 years

Lifetime

10 years



The Multispinner grey base is made of recyclable PE made from 33% post-consumer Materials. The base is moulded in one piece with integrated metal thread bushings and water drain holes to ensure high durability in all climates around the world. Each bowl is mounted separately into the base.



The bowls are made of recyclable PE made from 33% post consumer materials. The bowls are molded in one piece with integrated metal thread bushings and water drain hole to ensure high durability in all climates around the world.



Heavy-duty engineered bearing system with single row deep groove ball bearings with rubber seals. The fully closed bearing has lifetime lubricated and maintenance free.

Item no. ELE400060-3717			
Installation Information			
Max. fall height		100 d	cn
Safety surfacing area		26.1	m
Total installation time		3	3.8
Excavation volume		0.44	m
Concrete volume		0.31	m
Footing depth (standard)		100 d	n
Shipment weight		199	kς
Anchoring options	In-groun	d	V
	Surface		•
Warranty Information			
Bearing Construction		5 yea	ars



The steel surfaces are hot-dip galvanised inside and outside with lead-free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



The Multispinner carousel is offered in tree different color combination. Two with a grey base and a third GreenLine version in dark teal color.



GreenLine versions in teal color are designed with molded PE parts which consist of 33% recycled post-consumer ocean waste. Ocean waste is collected from the maritime industry, such as fishing nets, ropes and trawls.



Hardware

Hollow PE parts

Galvanised Steel

Spare Parts Guarantee

**Sustainability Data** 

ELE400060





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



### Verification of CO, calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023








The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

ELE400060




\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



\*\*\*26.1m²



Click to see TOP VIEW

Click to see SIDE VIEW