

Play Panel High - Creative

NRO617

KOMPAN
Let's play



Wow! The children can't keep their hands off the Manipulative Play Panel. The variation of responsive play elements inspires exploration. The wide panel and the fact that all items on one side are connected to action on the other side support cause and effect understanding as well as cooperation and turn-taking in social play. The feedback to the child's actions is

important to logical thinking: The steering wheel moves another wheel. The play spheres with numbers move play shovels on the other side. The funnel turns up on one side, and down on the other. This invites toddlers and children to run items or sand through, a favourite pastime which stimulates object permanence understanding that items and

persons don't cease to exist when out of sight. The shovels can be placed to catch and transport sand in creative play. The play panel is high to make it inclusive of more ages and abilities.



产品编号 NRO617-1001

产品信息概览

长宽高尺寸

131x28x114 cm

2+


适用年龄段

4

容纳人数

1

颜色选择



Play Panel High - Creative

NRO617

KOMPAN[®]
Let's play



Gearshift and tube panel

社交情感: 鼓励团队游戏和交流互动。 **认知能力:** 支持戏剧游戏，激发语言技能，在解释功能时可训练交流技能。通过漏斗传递材料有助于儿童的逻辑思维和对物体永久性的理解。 **创造力:** changing the position of the gear, leaving your mark.



Play Panel High - Creative

NRO617



KOMPAN 的所有有机刺槐产品均由 刺槐木材制成，来自欧洲的可持续环保木材。可根据要求提供 FSC® Certified (FSC® C004450)




刺槐木可以作为未经处理的原木供应，也可以涂有棕色透明颜料，保持木材的金色木色。



所有产品都有多个基础选项：带钢基础和膨胀螺栓的地表安装。木制结构入地安装或钢材入地安装结构。

产品编号 NRO617-1001	
安装信息	
最大跌落高度	0 cm
安全面积	11.2 m ²
安装总时长	3.3
开挖量	0.25 m ³
混凝土使用量	0.00 m ³
标准入地深度	100 cm
运输重量	97 kg
固定选项	入地 <input checked="" type="checkbox"/>
质保信息	
EcoCore HDPE	终身质保
活动部件	2 年
Robinia 木材	15 年
承保零部件	10 年




19 毫米高密度聚乙烯面板。高密度聚乙烯面板非常耐用，使用后 100% 可回收。黑色中心面板的核心是 100% 的回收材料。

EN
1176
compliant

Sustainability Data

NRO617



从原材料到成品

	CO ₂ 排放总量	CO ₂ 排放量 / 千克	回收的原料
	kg CO ₂ e	kg CO ₂ e/kg	%
NRO617-1001	31.49	0.45	15.20

这些因素采用的总体框架为环保产品声明 (EPD)，该声明可量化“产品生命周期的环保信息，并对相同功能的产品进行对比” (ISO, 2006)。在遵循该框架的同时，对从原材料到制造的整个产品阶段 (A1-A3) 应用生命周期评估法。



Play Panel High - Creative

KOMPAN
Let's play

NRO617

最大跌落高度 | 总高度 | 安全区域

最大跌落高度 | 总高度



[点击查看俯视图](#)

[点击查看侧面图](#)