Parallel Bars

FPW201



Item no. FPW20100-0900 General Product Information Dimensions LxWxH 197x63x106 cm Age group 8+ Play capacity (users) 2 Colour options





Street workout is a physical activity that symbolises the freedom of movement and encourages socialising. It is a combination of athletics, calisthenics and other sports, and mostly performed in the public space. A Parallel Bar can be found on every street workout area to train the upper body and core stability. The Parallel Bar fits really well in an Obstacle

1 / 08/01/2024

Course. The rounded corners make it easy to swing your legs across the Parallel Bars, making it safe to try new tricks without the risk of injuries.

Parallel Bars



10 years

10 years

FPW201



Post are made of Ø101.6 x 2mm, pregalvanized carbon steel and powder coated, a great protection to all conditions.



Bars intended as grips during exercises are made of hot-dip galvanised steel ø38mm. A great diameter to support the wrist when doing dips or handstands.



The connectors are made of die-cast aluminium, specially alloyed for the outdoor environments and heavy usage. The screws attaching the connectors are stainless steel and protected by zinc washers.

Item no. FPW20100-0900		
Installation Information		
Max. fall height	1	06 cm
Safety surfacing area	10	6.0 m²
Total installation time		2.6
Excavation volume	0.	25 m³
Concrete volume	0.14 m³	
Footing depth (standard)	90 cm	
Shipment weight	90 kg	
Anchoring options	In-ground	~
	Surface	~
Warranty Information		
Connectors	10 years	
Hot dip galvanised steel	Lifetime	

Post

Spare parts guaranteed



Sustainability Data

Cradle to Gate A1-A3


FPW20100-0900

FPW201



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark







Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Fitness" represented by item no.: FAZ10100-0900.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

189.76

CO2e/kg

kg CO₂e/kg

3.38

Recycled

materials

%


48.13


Parallel Bars

FPW201

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





FPW20100 1:100

Click to see TOP VIEW

