


Panel de juego alto, comunicación

PCM003721

KOMPANI
Let's play



Número de artículo PCM003721-0901	
Información general del producto	
Dimensiones LxAnch.xAl.	121x12x105 cm
Grupo de edad	2+
Usuarios	4
Opciones de color	

For children and adults with difficulties communicating or expressing their needs verbally, a communication board is a helpful playground asset.

This communication board depicts in an easily understandable way main needs and responses, such as happy, sad, hungry, thirsty, tired. The panel also aids with queues for

communication, such as yes/no, pronouns, questions or numbers and letters. Finally, the board has symbols for important locations such as home and school, as well as practical locations such as the restrooms.



Panel de juego alto, comunicación

PCM003721



Los postes principales con base de acero galvanizado en caliente están disponibles en diferentes materiales: Postes de madera de pino impregnada a presión. Postes de acero pregalvanizados por dentro y por fuera con acabado superior en polvo. Aluminio sin plomo con acabado superior anodizado en color. Postes Greenline TexMade de 100% de PE reciclado post-consumo y residuos textiles.

High-quality polyethylene with a thickness of 12mm. The graphic prints are added by a unique multi-layer print process where the inner layer is the image and outer transparent layer functions as protection. Both polyethylene panel and the water-based lacquer are UV stabilized to prevent fading.

Número de artículo PCM003721-0901

Información de instalación

Altura máxima de caída	0 cm
Área de seguridad	11,0 m ²
Horas de instalación	2,6
Volumen de excavación	0,05 m ³
Volumen de hormigón	0,00 m ³
Profundidad de anclaje	85 cm
Peso del envío	44 kg
Opciones de anclaje	Enterrar ✓

Garantías

Acero galvanizado	De por vida
Paneles de PC de policarbonato	10 años
Post	10 años
Piezas de repuesto garantizadas	10 años

EN
1176
compliant

Sustainability Data

PCM003721



Cuna a puerta A1-A3	Emisión total CO ₂	CO ₂ e/kg	Materiales Reciclados
	kg de CO ₂ e	kg de CO ₂ e/kg	%
PCM003721-0950	94,18	2,63	57,98
PCM003721-0901	124,67	4,14	32,82

El marco general aplicado para estos factores es la Declaración Ambiental de Producto (EPD), que cuantifica "la información ambiental sobre el ciclo de vida de un producto y permite realizar comparaciones entre productos que cumplen la misma función" (ISO, 2006). Esto sigue la estructura y aplica un enfoque de evaluación del ciclo de vida a toda la etapa del producto, desde la materia prima hasta la fabricación (A1-A3))

Kompan A/S
C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Themed play systems



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





Panel de juego alto, comunicación

PCM003721

* Altura Máx. de caída | ** Altura total | *** Área de seguridad

* Altura Máx. de caída | ** Altura total



PCM003721

[Haga clic para ver VISTA SUPERIOR](#)

[Haga clic para ver VISTA LATERAL](#)