

# Seesaw with Seats, 4 persons

NRO12201

Item nummer NRO12201-0501

## Algemene Product Informatie

|                  |   |
|------------------|---|
| Afmetingen LxBxH | 415x21x117 cm   |
| Leeftijdsgroep   |   |
| Speelcapaciteit  | 4   |
| Kleuropties      |   |



The Seesaw 4 is a playground classic. It still attracts players again and again, as it has for generations. The archaic play event is still with us for a reason: the tickling in the stomach when going up high, going down fast is eternally appealing. The Seesaw 4 develops the sense of space and rhythm and leg muscles of children. These are crucial motor

skills that help children navigate the world securely, e.g. in the street when estimating time, movement and objects. The social dimension and degree of trust in your peer that is demanded when seesawing, is great training of social-emotional life skills such as turn-taking and cooperation. With four users, empathy is trained, too. Players will need to

consider others' limits and limitations. Especially in groups of four, the see-sawing is a fantastic social play event.



# Seesaw with Seats, 4 persons

NRO12201



Alle Organic Robinia-producten van KOMPAN zijn gemaakt van Robinia-hout uit duurzame Europese bronnen. Op verzoek kan het worden geleverd met FSC® certificaat (FSC® C004450).



Het Robinia hout kan worden geleverd als onbehandeld ruw hout of behandeld met transparant pigment dat de nerf en gouden kleur van het hout behoudt.



De stalen oppervlakken zijn van binnen en buiten thermisch verzinkt met loodvrij zink. Het verzinken heeft een uitstekende corrosiebestendigheid in de buitenlucht en vereist weinig onderhoud.

Item nummer NRO12201-0501

## Installatie informatie

|                        |                            |
|------------------------|----------------------------|
| Max. valhoogte         | 0 cm                       |
| Veiligheidszone        | 0,0 m <sup>2</sup>         |
| Totale installatietijd | 3,0                        |
| Graafwerk (vol.)       | 0,59 m <sup>3</sup>        |
| Benodigd beton         | 0,15 m <sup>3</sup>        |
| Verankeringsdiepte     | 70 cm                      |
| Verzendingsgewicht     | 134 kg                     |
| Verankeringsopties     | Oppervlak ✓<br>In-ground ✓ |

## Garantie informatie

|                                 |            |
|---------------------------------|------------|
| Gegalvaniseerd staal            | Levenslang |
| Robinia hout                    | 15 jaar    |
| Gegarandeerde reserveonderdelen | 10 jaar    |

# Sustainability Data

NRO12201



| Cradle to Gate A1-A3 | Total CO <sub>2</sub> emission | CO <sub>2</sub> e/kg    | Recycled materials |
|----------------------|--------------------------------|-------------------------|--------------------|
|                      | kg CO <sub>2</sub> e           | kg CO <sub>2</sub> e/kg | %                  |
| NRO12201-0501        | 75,32                          | 0,66                    | 34,04              |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Kompan A/S**  
 C.F. Tietgens Boulevard 32C  
 DK-5220 Odense SØ  
 Denmark



## Verification of CO<sub>2</sub> calculation of: Nature play



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 30. October 2023 | Valid until: 30. October 2025**

**Verified by:**

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

**Publication date: 30. October 2023**

**By Bureau Veritas HSE**  
 www.bureauveritas.dk  
 +45 7731 1000



# Seesaw with Seats, 4 persons

NRO12201

Max. valhoogte | Totale Hoogte | Veiligheidszone

Max. valhoogte | Totale Hoogte

[Bekijk BOVENAANZICHT](#)

[Bekijk ZIJAAANZICHT](#)