Sitting Pole

NRO209





Product is available as FSC® Certified (FSC® C004450) robinia wood on request.

Item no. NRO209-0601		
General Product Information		
Dimensions LxWxH	16x16x30 cm	
Age group	1+	
Play capacity (users)	1	
Colour options		





Sitting Pole











Pole seats
Physical: balancing and jumping from one seat to the next trains balance, proprioception and builds bone density. Social-Emotional: sharing, listening when having a break.



Sitting Pole

NRO209



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



Item no. NRO209-0601		
Installation Information		
Max. fall height		30 cm
Safety surfacing area	•	7.8 m²
Total installation time		0.9
Excavation volume	0.	.04 m³
Concrete volume	0.	.00 m³
Footing depth (standard)		60 cm
Shipment weight		17 kg
Anchoring options	In-ground	•
	Surface	>
Warranty Information		
Robinia wood	15	years
Spare parts guaranteed	10	years



Sustainability Data

NRO209





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The $\mathrm{CO_2}$ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:


mode

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023





2.00

0.15

0.23

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))


NRO209-0601


NRO209



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW