# **Six-Sided Climbing Structure**

NRO816



KOMPAN Let's play
Item no. NRO816-1001

General Product Information		
Dimensions LxWxH	588x431x280 cm	
Age group	6+	
Play capacity (users)	20	
Colour options		



This six-sided climbing structure has a variety of climbing and crawling options. Children will try all the different ways of climbing, which makes them stay longer and want to come back. To reach the top net children can climb the inclined nets or go up the vertical wall and go through the hole or over the top. All are challenging ways of getting to the spacious meeting point in the centre. This structure develops physical ability, balance and spatial coordination, all in a fun way. There is also a fireman's pole and banister bars to build confidence. The natural Robinia timber provides an organic structure, that can either blend into or stand out from your surrounds. Children can touch and feel the timber while acting out their imaginations and social play, observing how nature inspiration interacts with the built environment.

# **Six-Sided Climbing Structure**

NRO816





Banister bars Physical: supports coordination, arm and core muscles. Landing strengthens bone density Social-Emotional: turn-taking and risk-taking.





#### Rope Physical: sense of balance, which is good for the ability to do other things such as sit still or concentrate.



### Climbing grips

**Physical:** dexterity and cross-body coordination, sense of space. Pushing, pulling and using fingers, arms, legs and core, strengthen the muscles.



#### Horizontal spider net Physical: crawling the net supports cross coordination. Social-Emotional: place to meet and hang for many children seated, lying or hanging.



#### Fireman's pole Physical: supports co

**Physical:** supports coordination, arm and core muscles. Landing strengthens bone density. **Social-Emotional:** turn-taking and risk-taking.



#### **Climbing net**

Physical: the inclined net supports the upward climbing movement of the body. The net supports cross-body coordination, which impacts coordination of the right and left part of brain, fundamental for other skills such as the ability to read. The asymmetry of the net challenges the children's climbing.

## **Six-Sided Climbing Structure**



NRO816








The climbing panel is made from 19mm EcoCore<sup>™</sup>, which is a highly durable, ecofriendly material, which is not only recyclable after use but also consists of a core produced from 100% recycled material.

### Installation Information

Max. fall height	250 cm
Safety surfacing area	57.9 m²
Total installation time	20.4 hours
Excavation volume	2.64 m <sup>3</sup>
Concrete volume	0.15 m <sup>a</sup>
Footing depth (standard)	100 cm
Shipment weight	1,016 kg
Anchoring options	In-ground 🗸

Warranty Information		
EPDM Components	2 years	
Robinia Wood	15 years	
Ropes & Nets	10 years	
Spare Parts Guarantee	10 years	
Stainless Steel Components	Lifetime	



All organic Robinia products by KOMPAN are

Ropes of UV-stabilised PES rope strands with inner steel cable reinforcement. The polyester yarn is made of +95% Post-consumer materials and is inductively melted onto each strand to obtain excellent wear and tear resistance.



The hardware is made of stainless steel or galvanised steel to ensure durable connections that has high corrosion resistance.

All Robinia products can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.



## **Sustainability Data**

Cradle to Gate A1-A3

NRO816-1001

NRO816



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



### Verification of CO<sub>2</sub> calculation of: Nature play



Data version no. 2023-10-05

The  $CO_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NR0409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

### Simo

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023





The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Total CO2** 

emission

kg CO<sub>2</sub>e

543.10

CO2e/kg

kg CO<sub>2</sub>e/kg

0.65

Recycled


materials

%

10.80





NRO816





\* Max fall height | \*\* Total height





Click to see TOP VIEW

Click to see SIDE VIEW

5 / 06/28/2025