

Double Swing Combination

NRO912


KOMPAN
Let's play



Item no. NRO912-1101

General Product Information

Dimensions LxWxH	792x207x284 cm
Age group	2 - 12
Play capacity (users)	9
Colour options	



Of all the play activities, swinging is a favorite: children love it, as it can be done individually and together. This swing set combines that joy and adds the possibility of different body positions and group sizes with two single swing seats and one nest swing seat. This is a great place to play, for all ages, for hours and days. Swinging, apart from being great fun, trains the

children's ABC's: agility, balance and coordination, as well as their spatial awareness. These motor skills are crucial to being able to judge distances and navigate spaces safely. Swings allows for standing sitting, lying – and not least, jumping off. Apart from the motor skills training, this trains the arm, leg and core muscles. The jumping off

strengthens bone density – the majority of which is built up during the first years of life.



Double Swing Combination

NRO912



Bird nest swing

Physical: develops balance, coordination and spatial awareness. The swinging movement trains the arm, leg and core muscles, and strengthens bone density when jumping off.

Social-Emotional: the spacious seat allows for many children standing, lying, seated together and is inclusive for all. **Cognitive:** cause and effect understanding, rhythm and thinking skills are developed in younger children.



Two single swing seats

Physical: trains balance, coordination and spatial awareness. All necessary when judging distances. Trains arm, leg and core muscles, and strengthens bone density when jumping off. **Social-Emotional:** parallel play invites cooperation and consideration.

Cognitive: cause and effect and thinking skills for younger children. Rules games for bigger children, when swinging in same or different rhythm.

Double Swing Combination

NRO912



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



The standard seats of KOMPAN swings is engineered for maximum safety and durability. The two component seat with a PP inner core and outside rubber is produced in one operation. The seats are available with swing chains of either hot dip galvanised steel or stainless steel for all swings heights.



Swing hangers for Robinia wood crossbeams are made of stainless steel brackets and can move over two axis. The flange bearings are silicone enriched to make the suspension maintenance free.



KOMPAN designed the bird's nest seats to be light in weight and in compliance with global safety standards. The soft, shock absorbent bumpers with non-slip surface makes the swing seat extremely user friendly. Choose between a rope version with reinforced PA rope or a moulded PE version. Both equipped with soft rubber bumpers.



The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.

Item no. NRO912-1101	
Installation Information	
Max. fall height	236 cm
Safety surfacing area	96.7 m ²
Total installation time	10.1
Excavation volume	1.69 m ³
Concrete volume	0.48 m ³
Footing depth (standard)	113 cm
Shipment weight	770 kg
Anchoring options	In-ground ✓
Warranty Information	
Chains	10 years
Robinia wood	15 years
Spare parts guaranteed	10 years
Stainless steel components	Lifetime

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	1	1
Required	0	1	1



To verify product certification, visit www.ipema.org

Sustainability Data

NRO912



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
NRO912-1101	300.77	0.54	3.01

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000




Double Swing Combination


NRO912

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



NRO912
* 7'-9" / 236cm
** 9'-4" / 284cm
*** 1040,9ft² / 96.7m²



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)