
Langur Trail

CRP251901



| Item no. CRP251901-0901 | | |
|-----------------------------|-----------------|--|
| General Product Information | | |
| Dimensions LxWxH | 2172x743x307 cm | |
| Age group | 6+ | |
| Play capacity (users) | 47 | |
| Colour options | | |



The Langur Trail with its linear layout provides highly attractive challenges for children, again and again. Lots of varied, responsive, swaying and bouncing nets and ropes take concentrated movement to cross, adjusting for different grips and rhythms of climbing. This trains agility, balance and coordination skills. These motor skills are fundamental for body confidence and eventually concentrating and sitting still on a chair. Apart from being great fun, the Horizontal nets, the Cube net and Shaky Pods allow children to take a break and socialize or cooperate when combining breaks and movement through the structure. This develops important social-emotional skills such as turn-taking, empathy and self-regulation. The bouncy, swaying range of challenging play makes the Langur Trail a highly attractive play unit that supports children's development through fun play.






CRP251901





Vertical climbing net Physical: children develop cross-body coordination when climbing. Arm, leg and core muscles are strengthened. **Social-Emotional:** the meshes allow for more children to sit together and talk.





Tightrope

Physical: children's cross-body coordination and muscle strength is developed by climbing and crawling through, training proprioception and spatial awareness. Social-Emotional: the big meshes allow for more children being seated together, sharing.



Balancing ropes

Physical: sense of balance is trained when swaying and climbing on ropes Social-Emotional: cooperation, tolerance and teamwork is exercised when swaying with others



Shaky pods rope

Physical: sense of balance and space, and training of posture. Important for being able to sit still. **Social-Emotional:** cooperation, turn-taking and friendly competition on the plates.



Cube net

Physical: agility, balance and coordination as well as spatial awareness are supported when bouncing, climbing and sitting in the net. Children train their arm, leg and core muscle strength. Social-Emotional: great meeting point that invites socializing and sharing.



Swaying seesaw

Physical: the Swaying Seesaw is a challenging training of balance, spatial awareness & timing. The skills trained here are fundamental for instance for navigating traffic safely. **Social-Emotional:** passing others on the bridge intensely trains cooperation and communication skills.



Spix's Trail

Physical: children develop cross-body coordination and sense of balance when balancing on and climbing the nets. Social-Emotional: the big meshes allow for more children being seated or lying together.

Langur Trail

CRP251901





Ropes of UV-stabilized PES rope strands with inner steel cable reinforcement. The polyester yarn is made from +95% post-consumer materials and is inductively melted onto each strand.



Designed to allow the typical function of rope play structures to move Corocord 'S' clamps are used as universal connections in Corocord products. 8mm stainless steel rods with rounded edges are pressed around the ropes with a special hydraulic press, making them the ideal connector. Our clamps are safe, durable and vandalism-proof.



Corocord smart clamps are carefully designed in every detail to ensure superior flexibility in high quality aluminum material. The smart clamps are attached around the posts with four steel bolts. Not used attachment points are closed with PA caps.


| Item no. | CRP251901-0901 |
|----------|----------------|
| | |

Installation Information

| Max. fall height | 290 |) cm |
|--------------------------|-----------|------|
| Safety surfacing area | 147. | 3 m² |
| Total installation time | | 37.2 |
| Excavation volume | 24.6 | 1 m³ |
| Concrete volume | 13.6 | 7 m³ |
| Footing depth (standard) | 90 |) cm |
| Shipment weight | 1,589 kg | |
| Anchoring options | Surface | ~ |
| | In-ground | ~ |

Warranty Information

| Aluminium Clamps | 10 years |
|-----------------------|----------|
| Galvanised Steel | Lifetime |
| Painted Toplayer | 10 years |
| Ropes & Nets | 10 years |
| Spare Parts Guarantee | 10 years |



Decorative elements (fish-shaped) are made out of stainless steel.



Panels of 19mm EcoCore[™]. EcoCore[™] is a highly durable, eco-friendly material, which is not only recyclable after use but also consists of a core produced from 100% recycled material.



Balance pads are made of EPDM rubber. Material is UV stabalised.



Sustainability Data

Cradle to Gate A1-A3


CRP251901-0901

CRP251901



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark







Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Corocord" represented by item no.: COR314011-1101.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mind

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO, calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



By Bureau Veritas HSE www.bureauveritas.dk

BUREAU VERITAS

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

4,069.28

Recycled

materials

%

44.94

CO₂e/kg

kg CO₂e/kg


3.57




CRP251901

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

5 / 08/01/2024

