Cityhopper

M192



Item no. M19201-01				
General Product Information				
Dimensions LxWxH	50x72x73 cm			
Age group	2+			
Play capacity (users)	1			
Color options	•			





The City Hopper with its circular appearance and fun rocking capability, attracts and supports children's play again and again. The circular hand and foot rests allows for a variation of support heights, accommodating more age groups. The rocking sensation is a great movement response. Movement response is among the top play attractions for

children, it adds a feeling of control to the child's play. The responsive movement also trains the understanding of cause and effect in young children: that actions have an effect on the world. This stimulates logical thinking. Rocking the Cityhopper trains the child's sense of balance and space and also builds arm and leg muscles, holding tight and pushing feet hard to increase speed. All of these basic motor and muscle skills build up the child's bodily cognition and life skills such as being able to navigate traffic securely.

Cityhopper M192









Item no. M19201-01			
Installation Information			
Max. fall height		60 cm	
Safety surfacing area		7.7 m²	
Total installation time		1.5	
Excavation volume	0	.21 m³	
Concrete volume	0	.00 m³	
Footing depth (standard)		42 cm	
Shipment weight		34 kg	
Anchoring options	In-ground	~	
	Surface	~	

The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.

KOMPAN Springs are made of high quality spring steel according to EN10270. The springs are cleaned by phosphating before they are painted with an epoxy primer and a polyester powder coating as top finish. The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime. The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime.



Seats of 19mm EcoCore[™]. EcoCore[™] is a highly durable, eco-friendly material, which is not only recyclable after use, but is also made of +95% recycled post-consumer material from e.g., food packing waste in both core and colorful outer layer.



Sustainability Data

M192



Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
M19201-01	76.30	2.63	45.10

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023




+45 7731 1000

By Bureau Veritas HSE


www.bureauveritas.dk








* Max fall height | ** Total height





M19201

Click to see TOP VIEW

4 / 04/22/2024