


# Bicycle Stand

PAR3001



We are in the great bicycle revolution. Fuelled by a green and healthy way of commuting, cities globally are rethinking how to make it easier to cycle. The new stands are compact, stylish and can accommodate every type of bike and lock.

Item no. PAR3001-0401	
General Product Information	
Dimensions LxWxH	23x6x85 cm
Age group	
Play capacity (users)	-
Colour options	<div><div></div><div></div></div>



# Bicycle Stand

PAR3001




Steel internal surfaces are hot-dip galvanised, and the outside surfaces are lead and zinc free. Galvanisation has excellent corrosion resistance within outdoor environments and requires very little maintenance. Painted steel parts are hot-dip galvanised and then powder coated.



Galvanisation is manufactured with a two-step process which includes light grinding and clean sweeping, which is then finished with a top powder coating to 70-120 µm thickness.



With a minimalist design and round edges, KOMPAN bike stands are appealing and accommodate for most type of bikes and locks.



The stand can hold up to two bicycles. When placed inline the recommended distance from stand to stand is 1000mm

Item no. PAR3001-0401

## Installation Information

Total installation time	0.1
Excavation volume	0.05 m³
Concrete volume	0.05 m³
Footing depth (standard)	40 cm
Shipment weight	8 kg
Anchoring options	In-ground ✓

## Warranty Information

Galvanised Steel	Lifetime
Painted Toplayer	10 years
Spare Parts Guarantee	10 years

# Sustainability Data

PAR3001



Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO <sub>2</sub> e/kg	Recycled materials
	kg CO <sub>2</sub> e	kg CO <sub>2</sub> e/kg	%
PAR3001-0401	15.46	2.57	50.00

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Kompan A/S**  
C.F. Tietgens Boulevard 32C  
DK-5220 Odense SØ  
Denmark



### Verification of CO<sub>2</sub> calculation of: Park



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 30. October 2023 | Valid until: 30. October 2025**  
**Verified by:**

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

**Publication date: 30. October 2023**

**By Bureau Veritas HSE**  
www.bureauveritas.dk  
+45 7731 1000

