
NRO2004






General Product Information

Dimensions LxWxH 734x620x417 cm
Age group 6+
Play capacity (users) 22
Colour options





gradual experience when entering the tower. The high tower also has climbing steps on one side. Climbing is a great training exercise for muscles as well as motor skills such as crossbody coordination. This again trains crossmodal perception which is necessary e.g. in reading. The rotating gliding movement on the curly climber apart from being joyful, trains the

motor skills that prepare the child for important life skills such as secure navigation of space, for instance in traffic. A wonderful graded play combination.



NRO2004





Banister bars

Physical: supports coordination, arm and core muscles. Landing strengthens bone density Social-Emotional: turn-taking and risk-taking.









Coconut rope bridge

Physical: the bridge sways gently, training the sense of balance and space when the child balances across. These motor skills in are great for learning how to navigate space. Social-Emotional: children swaying together on the rope experience their own and others' movements. This spurs cooperation and consideration, e.g. when passing others on the rope.



Climbing wall







leg, arm and hand strength. Climbing through the holes trains proprioception. Social-Emotional: children develop courage when climbing up high. This positively affects selfconfidence.









Physical: children develop cross-body coordination and muscle strength when climbing. The big mesh supports proprioception and spatial awareness. Social-Emotional: the big meshes allow for more children to sit together and talk.



Curly climber



Physical: supports coordination going down,

muscles for holding tight. Social-Emotional:

empathy stimulated by turn-taking. Cognitive:

logical thinking when placing arms and legs

right for rotating downwards.

sense of balance when rotating and arm







Climbing net

Physical: the inclined net supports the upward climbing movement of the body. The net supports cross-body coordination, which impacts coordination of the right and left part of brain, fundamental for other skills such as the ability to read. The asymmetry of the net challenges the children's climbing.





Inside seat

Social-Emotional: meeting, sharing and having a break.

NRO2004





All organic Robinia products by KOMPAN are made of Robinia wood which is sourced from sustainable plantation farms. On request it can be supplied as FSC® Certified (FSC® C004450).



The paint used for coloured components is water-based, which is environmentally friendly and has excellent UV resistance. The paint is compliant with Australian Standards.



The Robinia products come in a number of standard colour options. The wood can also be supplied as untreated or with brown painted with a pigment that maintains the wood colour.



Installation Information Max. fall height 300 cm Safety surfacing area 68.6 m² Total installation time 39.0 Excavation volume 2.82 m³ Concrete volume 1.24 m³ Footing depth (standard) 100 cm Shipment weight 1,656 kg In-ground Anchoring options

Item no. NRO2004-1021

Warranty Information Robinia Wood 15 years Ropes & Nets 10 years Spare Parts Guarantee 10 years Stainless Steel Lifetime Components



The product/activities are preassembled from the factory to ensure all safety requirements are considered.



Ropes of UV-stabilized PES rope strands with inner steel cable reinforcement. The polyester yarn is made from +95% post-consumer materials and is inductively melted onto each strand.



3 / 07/30/2024 Data is subject to change without prior notice.

Sustainability Data

NRO2004





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO2004-1021	895.91	0.59	5.62

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

200ml

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





NRO2004



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see SIDE VIEW