NRO902





The Baby Seat Swing is a sturdy entry-level swing for the smallest children of the family. The infants can learn the dynamics of a swing while enjoying close contact with the carer. Watch the little ones laugh as they learn, enjoying their first experience on a natural timber-poled swing.

Item no. NRO902-1001

General Product Information

Dimensions LxWxH 161x37x207 cm
Age group 1+
Play capacity (users) 1



Colour options











NRO902





Toddler swing seat Physical: balance, coordination and spatial awareness are developed when swinging. These are necessary skills for judging distances and navigating. Social-Emotional: feeling of security from support. Cognitive: understanding of 'cause and effect'.



NRO902



100 cm

10 years

15 years

10 years

Lifetime



All organic Robinia products by KOMPAN are made of Robinia wood which is sourced from sustainable plantation farms. On request it can be supplied as FSC® Certified (FSC® C004450).



The baby seat is a two component seat with a PP inner core and outside rubber, produced in one operation. The seat is available with swing chains of either hot-dip galvanised steel or stainless steel.



Swing suspensions are made of polyamide and consist of a double ball bearing system with swivel.



Installation Information Max. fall height 100 cm Safety surfacing area 11.4 m² Total installation time 2.4 hours Excavation volume 0.14 m³ 0.05 m³ Concrete volume

Item no. NRO902-1001

Shipment weight 128 kg

Anchoring options In-ground

Warranty Information

The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.



PUR Components

Spare Parts Guarantee

Robinia Wood

Stainless Steel

Components

3 / 06/28/2025 Data is subject to change without prior notice.

Sustainability Data

NRO902







Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mode

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO902-1001	46.19	0.44	2.12


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))






* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



NRO902 *100cm **207cm ***11.4m²



Click to see TOP VIEW

Click to see SIDE VIEW