

Gyngestativ til 10 sæder, H: 2,5 m

KSW9210

KOMPANI
Let's play

Varenr. KSW9210-0910

Generel produktinformation

Dimensioner LxBxH 1760x184x257 cm

Alder 2+

Antal brugere -

Farvemuligheder 



Kombination af gyngestativer



Gyngestativ til 10 sæder, H: 2,5 m

KSW9210

Varenr. KSW9210-0910

Installationsinformation

Installationstid (timer)	13,9
Udgravningsmængde	3,16 m ³
Betonmængde	0,00 m ³
Forankringsdybde	90 cm
Fragtvægt	643 kg
Forankringsmuligheder	I jorden ✓

Garanti

Galvaniseret stål	Livstid
Bevægelige dele	2 år
Stolpe	10 år
Garanterede reservedele	10 år



Bæredygtighedsdata

KSW9210



Vugge-til-port A1-A3	Total CO ₂ udledning	CO ₂ e/kg	Genanvendte materialer
	kg CO ₂ e	kg CO ₂ e/kg	%
KSW9210-0910	1.453,49	3,19	46,66

Den overordnede ramme for disse faktorer er Environmental Product Declaration (EPD), som kvantificerer "miljøoplysninger om et produkts livscyklus og muliggør sammenligninger mellem produkter, der opfylder samme funktion" (ISO, 2006). Dette følger strukturen og anvender en livscyklusvurderingstilgang til hele produktfasen fra råvarer til fremstilling (A1-A3))

Kompan A/S
C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000

