Basketball Goal (freestanding)

FRE3020





A basketball goal can be used by only one person, two or a whole group simultaneously. Here everyone can join in and it's easy to walk to and from the game. The basket is mounted at a height of 10 feet (305 cm), according to the official regulations.

Item no. FRE3020-3717	
General Product Information	
Dimensions LxWxH	0x0x368 cm
Age group	3+
Play capacity (users)	-
Colour options	





Basketball Goal (freestanding)

FRE3020



Choices of nets include; polyamide (PA), PA reinforced with steel wire, or stainless steel chains.



All steel components are manufactured from high-quality carbon steel and are hot-dip galvanised (HDG).



Item no. FRE3020-3717			
Installation Information			
Max. fall height Safety surfacing area Total installation time Excavation volume Concrete volume Footing depth (standard)	0 cm 0.0 m² 2.9 0.32 m² 0.21 m² 90 cm		
Shipment weight Anchoring options	192 kg In-ground ✓		
Wannanto Informa	-4:		
Warranty Information			
EPDM Components	2 years		
HDG Post	Lifetime		
Spare Parts Guarantee	10 years		



Sustainability Data

FRE3020





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
FRE3020-3717	272.26	2.30	56.62

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Sport



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Sport" represented by item no.: FRE600202-0901.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

misiE

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



Basketball Goal (freestanding)





* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height

Click to see TOP VIEW

Click to see SIDE VIEW