Duo Swing Seat, H:3.0m

SW990202






and sense of balance. Well-trained senses of balance and space help children navigate the world securely and adds to their self confidence. Swinging together on the Duo Swing Seat adds tons of social emotional benefits to the ride: Children learn cooperation

and turn-taking when swinging together.

movements train the child's spatial awareness

Furthermore, they need to adjust their rhythm in movement. These are great skills in play as well as in making friends.















There is nothing quite like swinging. The Duo

possible to swing at eye level with your best

friend. The sturdy handholds of the Duo Swing

movements. At the same time, they add to the

feeling of security. Swinging on the Duo Swing

seat is more than mere fun: the swinging

Seat add the possibility of vigorous swinging

Swing Seat adds to the joy by making it

Duo Swing Seat, H:3.0m

SW990202





KOMPAN heavy duty designed swing hangers of stainless steel with anti-twist function. The hangers are attached to the cross beam on a welded bracket with two bolts, The bearings are embedded with silicone lubricant and needs no further lubrication.



The Duo Swing seat is fitted with 6mm stainless steel chains.



The frame is powder coated inside & outside hot-dip galvanised steel.

Item no. SW990202-00		
Installation Information		
Max. fall height	160 cm	
Safety surfacing area	15.5 m²	
Total installation time	0.3	
Excavation volume	0.00 m³	
Concrete volume	0.00 m³	
Footing depth (standard)	0 cm	
Shipment weight	25 kg	
Anchoring options		



The Duo swing seat can be installed in Kompan A-Frame, Robinia Frame and Portal swing systems for the heights 2.5 and 3.0. The swing seat is not applicable for 2.0.



All soft seat materials are UV and ozone protected to the maximum within the frames of the strongest environmental demands.



The baby seat is made of black TPV (Santoprene) and the design has large leg holes for easy placement of baby/toddler.



Sustainability Data

SW990202





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
SW990202-00	50.70	3.25	37.50

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mode

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000




Duo Swing Seat, H:3.0m






* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



SW990202 **~240cm ***15.5m²



SW990202 1:100

Click to see SIDE VIEW