Truck

M534





Item no. M53471-3418P

General Product Information


Dimensions LxWxH 156x273x190 cm Age group 6m+

Play capacity (users)

Color options







ability to move body sides independently. This also helps to stimulate functions in the brain which are important to future reading skills. The truck's driving compartment has stearing wheels and gears and numerous tactile elements. The back of the truck has a black crane hoisting wheel. These elements enhance cause-and-effect understanding when children

play with them. The back is a fine gathering space with a table and sides to sit on. This social space invites children and carers alike.





Truck

M534





Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



Foot support is made of HPL with a thickness of 17,8mm with a very high wearing strength and a unique KOMPAN nonskid surface texture.



The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.

Item no. M53471-3	418P			
Installation Information				
Max. fall height		90 cm		
Safety surfacing area	2	23.7 m²		
Total installation time		12.6		
Excavation volume	(0.61 m³		
Concrete volume	(0.00 m³		
Footing depth (standard)		63 cm		
Shipment weight		419 kg		
Anchoring options	In-ground	· ·		
	Surface	~		



Exhaust pipe is made of polypropylene PP with excellent impact strength and usable within a large temperature span.



Handholds are made of injection moulded high quality nylon (PA6). PA6 has good wearing and impact strength.



KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with lowest possible CO2e emission factor such as EcoCoreTM panels of +95% post consumer recycled ocean waste.



Sustainability Data







Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
M53471-3418P	586.50	1.73	49.30


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))


M534



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW