COR16102





Item no. COR161021-0904

General Product Information

Dimensions LxWxH 2166x1421x281 cm

Age group 5+

Play capacity (users) 64

Colour options





The amazing Boomerang has a varied netscape offering a wealth of play opportunities that will make older children want to play time and time again. The inclusive design and open ended activities on ground level invite all users, including parents. The spacious upper net dips to form valleys with varied climbing challenges above and below, all stimulating the crosscoordination, balance and spatial awareness of the child. The Boomerang is thrilling play, and benefits the child's ability to navigate spaces confidently, for instance, in crowds. The wide, sloping membrane adds a fun, bouncy glide and climb experience, that trains the sense of balance and core muscles. Under the net, a forest of swaying ropes add a new balance and climb experience. This is a fabulous meeting and seating place for large groups of children. (Design: Annabau)



COR16102









Climbing valley w. tight rope sides Physical: climbing up, down and balancing across tight ropes train balance, coordination and muscles. Social-Emotional: cooperation and consideration when balancing and climbing with others. Inspires positive competition.









### Horizontal net area

Physical: cross coordination when crawling across. Social-Emotional: thrill when looking down from up high. Socialising with friends seated on the net.











### Swaying rope area

Physical: agility, balance, cross coordination, proprioception and muscles are trained when climbing on swaying ropes. Social-Emotional: cooperation with friends, take breaks with friends. Cognitive: spurs rules

games such as the-ground-is-lava.







#### Membrane glide

Physical: sense of balance and space when gliding down, cross coordination and major muscle groups when climbing up the membrane. Social-Emotional: cooperation and consideration of others, turn-taking.







#### Vertical climbing funnel

Physical: develops cross coordination and trains major muscles when climbing up or down. Social-Emotional: socialising and friendly competition when climbing up and down with friends.

COR16102





Corocord ropes with 19mm+ diameter are known as a 'Hercules' rope type which is formed from galvanised six-stranded steel wires. Each strand is tightly wrapped with PES yarn, which is melted onto each individual strand. Ropes are highly wear-and vandalism-resistant and can be easily replaced on-site if needed.



Designed to allow the typical function of rope play structures to move Corocord 'S' clamps are used as universal connections in Corocord products. 8mm stainless steel rods with rounded edges are pressed around the ropes with a special hydraulic press, making them the ideal connector. Our clamps are safe, durable and vandalism-proof.



The steel surface of these bent steel pipes are painted with one basic layer and one top layer of lead-free colour material. The paint has excellent corrosion resistance and can be easily maintained.



### Item no. COR161021-0904 Installation Information

mstanation information			
Max. fall height	28	1 cm	
Safety surfacing area	253.	8 m²	
Total installation time	1	21.6	
Excavation volume	23.8	3 m³	
Concrete volume	12.9	1 m³	
Footing depth (standard)	9	0 cm	
Shipment weight	5,49	95 kg	
Anchoring options	In-ground	~	

Warranty Information			
Aluminium Clamps	10 years		
Corocord (Hercules) Rope	10 years		
Membrane	2 years		
S-Clamps	10 years		
Spare Parts Guarantee	10 years		



Corocord membranes consist of friction-proof rubberised material of conveyor belt quality with excellent UV resistance. Tested and compliant with REACH requirements for PAH. Embedded is a four-layered armouring made of woven polyester. The armouring and the two surface layers result in a total thickness of 7.5 mm.



Fully coloured EPDM rubber discs with smooth surface. The moulded EPDM surrounds a hotdip galvanised steel core that ensures both the stability of the discs and durable fixtures to the rope.



The aluminium swages of the net are double conical with rounded ends and are as small as safety allows. The overall net design aims at keeping metal parts within the net to an absolute minimum, both in size and number, to provide the best possible rope climbing experience.



# **Sustainability Data**

COR16102





Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO <sub>2</sub> e/kg Recycled materials	
	kg CO₂e	kg CO₂e/kg	%
COR161021-0904	14,420.39	2.68	49.19

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

### Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



### Verification of CO<sub>2</sub> calculation of: Corocord



Data version no. 2023-10-05

The  $\mathrm{CO}_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Corocord" represented by item no.:  $\mathrm{COR314011}$ -1101.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  $CO_2$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000




COR16102



\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height





Click to see TOP VIEW

Click to see SIDE VIEW