

# Combi 2

FSW102



Item no. FSW10201-0901	
<b>General Product Information</b>	
Dimensions LxWxH	14'9"x11'3"x7'10"
Age group	13+
Play capacity (users)	6
Color options	



See KOMPAN Fit App for More Information



The Combi 2 is a compact and complete street workout combination featuring an incline bench, push-up bar, decline press, horizontal ladder, and pull-up station. The Combi 2 is suitable for everyone from beginners to pros, with cleverly placed bars to easily adjust difficulty levels and clean workout space for advanced training. The Bench provides the

perfect training for core and lower back muscles by doing exercises such as leg lifts and sit-ups. The Pull-Up Bar is made from solid steel and has a diameter of 1.26 inches. This is the ideal size for both men and women to have a good grip. As the Bar hangs at a height of 7' 8 everyone will be able to hang freely and use the bar for a variety of pull-ups."

# Combi 2

FSW102



Post are made of 101.6 x 2mm, pre-galvanized carbon steel and powder coated, a great protection to all conditions.



The connectors are made of die-cast aluminium, specially alloyed for the outdoor environments and heavy usage. The screws attaching the connectors are stainless steel and protected by zinc washers.



All bars intended for pull ups are made of solid, ø32mm x 138 m, hot dip galvanized, S235JR steel bars. This diameter gives the right grip for everyone.



The handles offer 4 different heights to place the hands or feet; 48cm, 76cm, 104cm and 132cm, creating the opportunity to scale the difficulty of the exercise.



The information sign is made of a PA6 (Polyamide) and shows the most relevant exercise and a QR code. When scanned the QR code will link to an animated illustration of the exercise and offers the possibility of downloading the KOMPAN sport & fitness App, which will provide a large amount of exercises and workouts.



The surface is made of Ekogrip™ panels, consisting of 15mm polyethylene with a 3mm top-layer of thermoplastic rubber. The Ekogrip™ panels have a non-skid effect for comfortable and safe training at all weather circumstances.

Item no. FSW10201-0901

### Installation Information

Max. fall height	7'8"
Safety surfacing area	321ft <sup>2</sup>
Total installation time	6.0
Excavation volume	0.92yd <sup>3</sup>
Concrete volume	0.41yd <sup>3</sup>
Footing depth (standard)	2'11"
Shipment weight	402lbs
Anchoring options	In-ground ✓ Surface ✓

### Warranty Information

Connectors	10 Years
EcoCore HDPE	Lifetime
Hot dip galvanized steel	Lifetime
Post	10 Years
Spare Parts Availability	10 Years

**ASTM  
F3101**  
compliant

# Sustainability Data

FSW102



Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO <sub>2</sub> e/kg	Recycled materials
	kg CO <sub>2</sub> e	kg CO <sub>2</sub> e/kg	%
<b>FSW10201-0901</b>	512.64	3.52	45.02

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Kompan A/S**  
 C.F. Tietgens Boulevard 32C  
 DK-5220 Odense SØ  
 Denmark



## Verification of CO<sub>2</sub> calculation of: Fitness



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Fitness" represented by item no.: FAZ10100-0900.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 30. October 2023 | Valid until: 30. October 2025**

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

**Publication date: 30. October 2023**

By Bureau Veritas HSE  
 www.bureauveritas.dk  
 +45 7731 1000





# Combi 2

FSW102

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)