Pull Up Bars Pro

FAZ103



Item no. FAZ10300-0900				
General Product Information				
Dimensions LxWxH	390x180x334 cm			
Age group	13+			
Play capacity (users)	3			
Colour options				





The large shaped structures will make people curious and invite them to complete a workout using the pull-up bars, an item most people will recognise from indoor fitness. For inspiration and guidance, they can look at signs which display the 14 basic exercises and link to the KOMPAN smartphone Fitness App. Chin-ups are an essential part of a Cross Training

workout, a very effective form of exercise that combines the best activities of various sports, resulting in a diverse and complete training session. The Pull-Up bar station offers a range of scalable exercises, featuring multiple handles, i.e. rotating gym rings, balls and bars with varying diameters. By placing the feet on the horizontal bars, beginners can decrease

KOMPAN

their bodyweight during chin-ups and work their way up to advanced training.



Pull Up Bars Pro





FAZ103



The polyurea coating, used on all grips, is highly durable against wear and tear, offers isolation and simultaneously gives users an outstanding grip during their workout.




The big instruction signs are made as a sandwich construction consisting of 2×6 mm polycarbonate sheets with clear instructions printed on the inside of the panels. This provides a vandalism proof solution.



The pull up station consists of multiple handles, i.e. 2x rotating gym rings, 2x grip balls, and multiple horizontal bars at heights between 170 and 267cm with three different diameters, \emptyset 25 x 3.0mm, \emptyset 33.7 x 3.0mm and \emptyset 48.3 x 4.0mm.

Item no. FAZ10300-0900				
Installation Information				
Max. fall height	1	67 cm		
Safety surfacing area	2	1.5 m²		
Total installation time		7.2		
Excavation volume	0.	.63 m³		
Concrete volume	0.	.35 m³		
Footing depth (standard)		90 cm		
Shipment weight	3	398 kg		
Anchoring options	In-ground	~		
	Surface	~		
Warranty Information				
Coated Steel Parts	10	years		
Signs	10	years		
Spare Parts Guarantee	10	years		



All of KOMPAN's fitness products are compliant with AS 4685:2021, ASTM F3101 & EN16630 Outdoor Fitness Standards. Load tests are performed to the specified load of 78kg per user. A product intended for one user is loaded with 420kg.



To ensure the integrity of the mainframe is maintained, the orange coloured main posts are made of \emptyset 101.6 x 3mm steel posts, which are hot-dip galvanised and powder coated in a variety of colours options. The supportive posts receive the same surface treatment and are made of \emptyset 76.1 x 3.6mm steel tubes and finished with coloured powder coating.



All steel components are made from carbon steel, with a hot-dip galvanised surface according to ISO1461, and a powder coating corrosion class C3 according to ISO12944-2. Lead content for surfaces is below 90ppm, and below 100ppm for base material.



Sustainability Data

FAZ103




Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
FAZ10300-0900	932.87	2.87	46.45

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark







Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Fitness" represented by item no.: FAZ10100-0900.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



By Bureau Veritas HSE

www.bureauveritas.dk

+45 7731 1000





FAZ103



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





FAZ10300

Click to see TOP VIEW

Click to see SIDE VIEW

4 / 06/14/2024