Castle's Outer Gate

PCM212421



Item no. PCM212421-0901		
General Product Information		
Dimensions LxWxH	958x1156x440 cm	
Age group	4+	
Play capacity (users)	33	
Colour options		



The Castle's Outer Gate is a fabulous play structure. The rich variation of play challenges will attract and stimulate hours of play. The inclined climbing access points support crosscoordination, which in turn supports intellectual development. The two towers and the curved bridge make fine outlook posts. The double slide adds thrill and take children back to the

ground in social play. Sliding additionally trains the sense of balance. On the other side of the Castle's Outer Gate. the track ride adds thrill and trains the sense of space, fundamental for managing the world securely. Under platforms there are spaces for dramatic and social play, with special surprises such as the treasure chest or slime door, which will inspire dramatic play and stimulate language development.



Castle's Outer Gate

PCM212421



Cannon Cognitive: the cannon set a tangible theme and thus spur dramatic play. Dramatic play supports language and communication skills.





Track Ride

Physical: train arm and core muscles. Bone density when jumping down from the handholds and motor skills like agility, balance and coordination are supported. Social-Emotional: cooperation, consideration, turn-taking, risk-taking, self-confidence.

KOM

Let's play



Double slide

Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. Social-Emotional: invites socializing, supports parent-child and peer-to-peer play. Cognitive: young children train their understanding of space, speed and distances when sliding down quickly.



Rock climber Physical: supports cross coordination and leg, arm and hand strength. Social-Emotional: the inclination makes climbing feel secure, especially for younger children.



Treasure box Cognitive: object permanence: hiding objects and finding them again. Spurs exploration and dramatic play, stimulating conversations.



Slime door

Physical: tactile stimulation from moving the body through the rubber slime door. Social-Emotional: stimulates turn-taking. Cognitive: the slime door encourages hide-and-seek or peek a boo games that trains the understanding of object permanence in toddlers.

Window Social-Emotional: invites interaction between sides and cooperative play.

Castle's Outer Gate



10 years

PCM212421



Panels of 19mm EcoCore[™]. EcoCore[™] is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



Main posts with hot dip galvanised steel footing are available in different materials: Pressure impregnated pine wood posts. Pre-galvanised inside and outside with powder coated top finish steel posts. Lead free aluminium with colour anodised top finish.



All decks are supported by unique designed low-carbon aluminum profiles with multiple attachment options. The grey colored molded decks are made of 75% post-consumer waste PP material with a non-skid pattern and texture surface.

Item no. PCM212421-0901			
Installation Information			
Max. fall height	17	3 cm	
Safety surfacing area	69	.0 m²	
Total installation time	39.8		
Excavation volume	2.27 m³		
Concrete volume	0.96 m³		
Footing depth (standard)	90 cm		
Shipment weight	1,556 kg		
Anchoring options	In-ground 🗸		
	Surface	~	
Warranty Information			
EcoCore HDPE	Lifetime		
Post	10 years		
PP Decks	10 years		
Ropes & nets	10 years		



The slides can be chosen in different materials and colours: Straight or curved moulded PE slides in yellow or grey colour. Full stainless steel in on-piece design for more vandalism proof solutions.



The hang-on puller is designed with at welded steel core and covered with low-density PE housing. The two hot dip galvanised steel handles are angled to provide best possible ergonomic while gliding. The wheels of the puller are made of low noise TPU and installed with sealed ball bearings.



Nets and ropes are made of UV-stabilised PA with inner steel cable reinforcement. The rope is induction treated in order to create a strong connection between steel and rope which leads to good wear resistance.



Spare parts guaranteed

Sustainability Data

Cradle to Gate A1-A3

PCM212421-0901

PCM212421



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Themed play systems



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000 B U R E A U V E R I TA S

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

2,390.12

CO2e/kg

kg CO₂e/kg

2.14

Recycled

materials

%

63.90





PCM212421

* Max fall height | ** Total height | *** Safety surfacing area



* Max fall height | ** Total height





Click to see TOP VIEW

5 / 08/15/2024