



Tick-Tock

M631



| | |
|------------------------------------|---|
| Item no. M63170-3417P | |
| General Product Information | |
| Dimensions LxWxH | 67x54x61 cm |
| Age group | 1+ |
| Play capacity (users) | 2 |
| Color options |   |



Amazing! The Tick-Tock appeals immensely to infants and toddlers with its whimsical shape and vibrant colours. It is lovely for the smallest children who want to join the playground play. The tactile elements of the Tick-Tock inspire exploration. Young children will discover that the Tick-Tock responds to their actions: when they handle the manipulative wheel, gear and

play sphere, there is a possibility to alter positions. This supports cause-and-effect understanding and logical thinking in the infants. Toddlers who are just beginning to play pretend will delight in the imagining they are driving a vehicle. This will add topic of conversation with adults and peers, which will support verbal interaction. Fascinating, infant

sized and infant inspired play.



Data is subject to change without prior notice.

Tick-Tock

M631



Play sphere

Social-Emotional: can be played from both sides, encouraging cooperation. **Cognitive:** cause and effect understanding. **Creative:** leave a mark and place the spheres at different positions.



Turning wheel

Social-Emotional: develops turn-taking, communication and cooperation. **Cognitive:** the manipulative item stimulates cause and effect understanding, logical thinking and communication. **Creative:** working with moveable play items that can leave a mark supports the child's creativity.



Gear shift


Social-Emotional: cooperation, turn-taking, sharing. **Cognitive:** suggests a theme and supports dramatic play, which stimulates languages skills.

Tick-Tock

M631



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



Play spheres are made of PP. PP has good wearing and impact resistance.

| | |
|---------------------------------|--------------------------|
| Item no. M63170-3417P | |
| Installation Information | |
| Max. fall height | 0 cm |
| Safety surfacing area | 10.0 m ² |
| Total installation time | 1.8 |
| Excavation volume | 0.23 m ³ |
| Concrete volume | 0.00 m ³ |
| Footing depth (standard) | 60 cm |
| Shipment weight | 21 kg |
| Anchoring options | In-ground ✓ Surface ✓ |
| Warranty Information | |
| EcoCore HDPE | Lifetime |
| HPL decks | 15 years |
| Movable parts | 2 years |
| Spare parts guaranteed | 10 years |



Sustainability Data

M631



| Cradle to Gate A1-A3 | Total CO ₂ emission | CO ₂ e/kg | Recycled materials |
|----------------------|--------------------------------|-------------------------|--------------------|
| | kg CO ₂ e | kg CO ₂ e/kg | % |
| M63170-3417P | 28.61 | 1.53 | 52.34 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Themed play systems



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000




Tick-Tock

M631

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



M63170P
**61cm
***10m²



M63170P

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)